



Joint Action on integrating prevention, testing and linkage to care strategies across HIV, viral hepatitis, TB and STIs in Europe

## Review of existing ICT based prevention programs and their effectiveness report

DOCUMENT IDENTIFIER:	D7.1
DUE DATE:	31/08/2018
DELIVERY DATE:	31/08/2018
CLASSIFICATION:	Public
EDITORS:	Lella Cosmaro, Fondazione LILA Milano
DOCUMENT VERSION:	1.0



Co-funded by  
the 3<sup>rd</sup> Health Programme  
of the European Union under Grant  
Agreement n° 761319

This Joint Action was co-funded by the 3rd Health Programme of the European Union under grant agreement no. 761319.

#### *Authors*

Lella Cosmaro at Fondazione LILA Milano, IT; Vassilis Koutkias, Kostas Votis and Christine Kakalou at CErTH, GR.

#### *Acknowledgements*

The INTEGRATE Joint Action would like to thank all those who contributed in preparation of this document: Shannon Glaspy, Jack Lambert, for providing detailed comments on document drafts; Zoran Dominkovic, Nedim Jasic, Martina Jelinic, Iva Jovovic, Gergő Merész, Tatjana Nemeth Blazic, Antonella Sammut, who collaborated in the desk review of ICT tools; Andrew Amato, Irma Caplinskiene, Laura Fernandez, Nadia Gasbarrini, Dagmar Hedrich, Marie Louise Jakobsen, Stine Finne Jakobsen, Meaghan Kall, Outi Karvonen, Dovile Maciulyte, Manuel Maffeo, Sini Pasanen, Eberhard Schatz, Agne Simkunaite Zazeck, Ana Zacharie and once again Shannon Glaspy, Christine Kakalou and Jack Lambert, who took the time to evaluate and rate the selected ICT tools.

Suggested citation: INTEGRATE project. D7.1\_v1.0: Review of existing ICT based prevention programs and their effectiveness report; 2018.

CONTRIBUTORS	
Name	Organization
Lella Cosmaro	Fondazione LILA Milano
Vassilis Koutkias	CERTH
Christine Kakalou	CERTH
Kostas Votis	CERTH

PEER REVIEWERS	
Name	Organization
Shannon Glaspy	UCD
Jack Lambert	UCD

REVISION HISTORY		
Version	Date	Modifications
0.1	31/08/2018	First draft
1.0	06/09/2018	Finalized

## List of Acronyms

- AIDS Acquired Immuno-Deficiency Syndrome
- ECDC European Center for Disease Control and Prevention
- EEA European Economic Area
- EU European Union
- HCV Hepatitis C Virus
- HIV Human Immunodeficiency Virus
- HR Harm Reduction
- ICT Information and Communication Technology
- IDU injecting drug use
- MSM Men who have Sex with Men
- PEP Post Exposure Prophylaxis
- PrEP Pre Exposure Prophylaxis
- NGO Non-Governmental Organization
- PN Partner Notification
- PUD People who Use Drugs
- PWID People Who Inject Drugs
- SMS Short Message Service
- STIs Sexually Transmitted Infections
- SW Sex Workers
- TB Tuberculosis
- WP Work Package



## Executive Summary

The Integrate Joint Action aims to improve early diagnosis and linkage to prevention and care across HIV, STIs, viral hepatitis and TB in EU member states. The specific focus of Work Package 7 Obj. 1 of the Joint Action is to investigate how to improve the effectiveness of combination prevention efforts through the use of ICT tools, by assessing currently available technologies and adapting them – or designing new ones – targeting at risk populations (adolescents and young adults, PWID, MSM, migrants, homeless, prisoners,...) in order to reduce the incidence of HIV, viral hepatitis, STIs and TB. The integration of the mentioned diseases represents indeed a challenge, since in most of the cases existing ICT tools were developed to prevent HIV transmission and need to be adapted and extended to cover the other infections/pathologies.

This report describes the desk review process performed by WP7 Obj. 1 partners to identify existing ICT prevention tools; it highlights the results of the task and informs about the evaluation and rating of the tools which were deemed by IT experts to have the potential to be adapted to suit different disease areas and reach different targets. Furthermore, it gives a chance to become familiar with some of the most interesting, useful and promising features of existing Web and mobile applications, such as risk calculators, PrEP locators, test finders, testing/treatment/check-up visit reminders, and partner notification anonymous messaging.

The outcome of this investigation will lead to the design and adaptation of a new 'Integrate ICT tool' (or maybe more than one) that will be piloted in the scope of INTEGRATE, in order to measure its effectiveness in the prevention of the diseases of interest.

There is in fact an urgent need for trustworthy resources to support people accessing information online and to reduce barriers to care. From the people seeking information following a sexual encounter, to those using a self-testing kit at home with no immediate access to care, to people living with HIV, apps can provide support. The collaboration within the Integrate Joint Action is a significant opportunity to bring together the strengths of experts in the ICT field with scientists, clinicians, members of academia, civil society to design, pilot and assess the effectiveness of (a) new 'Integrate ICT Tool(s)'.

## Table of Contents

List of Acronyms .....	4
Executive Summary .....	5
1. Introduction .....	7
2. Desk Review of ICT Tools in Combination Prevention of HIV, viral hepatitis, STIs and TB .....	9
2.1 Partners involved .....	9
2.2 Division of tasks and search areas/criteria .....	9
2.3 Matrix Structure .....	10
2.4 Mapping Matrix of ICT Tools .....	10
2.4.1 Flowchart of the ICT Tools Review and Selection .....	11
2.5 Evaluation of the tools suitable for adaptation .....	11
3. ICT Tools shortlisted for adaptation .....	15
3.1 List of shortlisted tools .....	15
4. Proposal for the 'Integrate ICT Tool(s)' .....	31
4.1 Integrate Mapping Scheme .....	31
4.2 The 'Integrate ICT Tool(s)' .....	31
5. Assessment of the effectiveness of ICT Tools in combination prevention efforts .....	35
5.1 A review of web and smartphone apps on HIV .....	35
6. Conclusions .....	37
Appendix 1 – ICT tools evaluation .....	38

## 1. Introduction

The Integrate Joint Action aims to improve early diagnosis and linkage to prevention and care across HIV, STIs, viral hepatitis and TB in EU member states. The specific focus of Work Package 7 Obj. of the Joint Action is to investigate about how to improve the effectiveness of combination prevention efforts through the use of ICT tools, by assessing currently available technologies and adapting them – or designing new ones – targeting at risk populations (adolescents and young adults, PWID, MSM, migrants, homeless, prisoners...), in order to reduce the incidence of HIV, viral hepatitis, STIs and TB. An integrated approach to combat the mentioned diseases constitutes a major challenge, since in most of the cases existing ICT tools were developed to prevent HIV transmission and need to be adapted and extended to cover the other infections/pathologies.

Reviews examining effective HIV/STI prevention strategies for the different key affected groups indicate that combinations of social change and communication interventions designed for specific populations and contexts have enhanced the adoption of prevention behaviours and the uptake of services<sup>1</sup>. However, investments in the field of HIV/STI prevention and health promotion have suffered relevant financial cuts in many European countries due to the economic crisis. Reaching more people to provide behavioural intervention and support at lower costs is possible thanks to innovation. Information and Communication Technologies (ICT), such as the Internet, mobile phones and smartphones are promising delivery vehicles for STI/HIV prevention and care, which can be broadly disseminated at low cost, by also allowing increased confidentiality for users/patients. Integrate therefore aims to assess the effectiveness of ICT tools that will be specifically adapted for the prevention of HIV, viral hepatitis, STIs and TB, where feasible.

Such assessment is now possible since mobile and smartphone ownership and Internet access have grown considerably throughout Europe, changing how people interact and access information. Innovative use of media for HIV and STI prevention, information and service referrals has proven to be successful elsewhere<sup>2</sup> and potentially this is a powerful way to get in contact with hard to reach groups such as out of school youth, and to develop new ways of increasing knowledge about risk and prevention options and new opportunities for integration across Europe.

At the same time, Internet access and social networking platforms have created a new 'risk environment' in which potentially STI/HIV-infected sex partners meet. For example, MSM and other adults use the Internet to find sex partners and adolescents in some cases displaying risk behaviours on their Internet profiles. Such dating sites can also be used to display testing advertisements and the Internet in general may be a place to conduct behavioural surveillance for hard-to-reach groups, intervention recruitment and service delivery.

The potential for synergy of biomedical and behavioural prevention facilitated through ICT is huge. Self-testing and home-sampling testing using finger-prick tests or swab methods are recent STI/HIV testing innovations that can improve access to testing, which rely on ICT for people to request tests and receive results. Chlamydia, gonorrhoea and trichomonas testing are already being supported by Internet linkages to request free mail-in tests. Such

---

<sup>1</sup> AVAC (2016). Multipurpose Prevention Technologies – An introductory factsheet.

<sup>2</sup> Swendeman D. Rotheram-Borus MJ. (2010) Innovation in sexually transmitted disease and HIV prevention: Internet and mobile phone delivery vehicles for global diffusion.

websites also include educational messages for all STIs and questionnaires for research and evaluation. Many clients also prefer results notification by e-mail, mobile phone calls or text messages<sup>3,4</sup>.

Given the potential carried by technology and social media in reaching a multitude of people and disseminating prevention messages with little financial investment, at the end of 2017 the ECDC published a series of guides to the effective use of digital platforms for STI/HIV prevention among MSM in the EU/EEA.<sup>5, 6, 7, 8, 9, 10</sup>. Again, online and digital/social media have been found to be increasingly important communication channels for reaching audiences in a targeted and cost-effective manner. Gay and bisexual men have long been early adopters of technology and their use of the technology has often been a subject of research. The same now needs to be studied in the context of other vulnerable groups and this is one of the goals set for WP7 of Integrate.

This report describes the desk review process performed by WP7 Obj. 1 partners to identify existing ICT prevention tools; it highlights the results of the task and informs about the evaluation and rating of the tools which were deemed to have the potential to be adapted to suit different disease areas and reach different targets. The outcome of this investigation will be the design and adaptation of a new 'Integrate ICT tool' (or tools) that will be piloted in order to measure their effectiveness in the prevention of the diseases of interest considered in Integrate.

This report is structured as follows: Section 2 describes the adopted desk review methodology for identifying ICT tools as regards combination prevention of HIV, viral hepatitis, STIs and TB. Section 3 provides the short list of tools which were considered as interesting/relevant in the scope of Integrate, while section 4 provides our proposal for the "Integrate ICT tool(s)". Section 5 refers to a preliminary assessment of the effectiveness of ICT tools and section 6 concludes the report.

---

<sup>3</sup> Rosser BR, Wilkerson JM, Smolenski DJ, Oakes JM, Konstan J, Horvath KJ, Kilian GR, Novak DS, Danilenko GP, Morgan R. The Future of Internet-based HIV Prevention: A Report on Key Findings from the Men's INternet (MINTS-I, II) Sex Studies. 2011

<sup>4</sup> Catalani C, Philbrick W, Fraser H, Mechaël P, Israelski DM. mHealth for HIV Treatment & Prevention: A Systematic Review of the Literature. 2013

<sup>5</sup> European Centre for Disease Prevention and Control. Effective use of digital platforms for HIV prevention among men who have sex with men in the European Union/European Economic Area – An introduction to the ECDC guides. Stockholm: ECDC; 2017.

<sup>6</sup> European Centre for Disease Prevention and Control. Use of Facebook for HIV prevention among men who have sex with men in the European Union/European Economic Area – An ECDC guide to the effective use of digital platforms for HIV prevention. Stockholm: ECDC; 2017.

<sup>7</sup> European Centre for Disease Prevention and Control. Use of Google AdWords for HIV prevention among men who have sex with men in the European Union/European Economic Area – An ECDC guide to effective use of digital platforms for HIV prevention. Stockholm: ECDC; 2017.

<sup>8</sup> European Centre for Disease Prevention and Control. Use of online outreach for HIV prevention among men who have sex with men in the European Union/European Economic Area - An ECDC guide to effective use of digital platforms for HIV prevention. Stockholm: ECDC; 2017.

<sup>9</sup> European Centre for Disease Prevention and Control. Use of smartphone application advertising for HIV prevention among men who have sex with men in the European Union/European Economic Area - An ECDC guide to the effective use of digital platforms for HIV prevention. Stockholm: ECDC; 2017.

<sup>10</sup> European Centre for Disease Prevention and Control. Use of YouTube for HIV prevention among men who have sex with men in the European Union/European Economic Area - An ECDC guide to effective use of digital platforms for HIV prevention. Stockholm: ECDC; 2017.

## 2. Desk Review of ICT Tools in Combination Prevention of HIV, viral hepatitis, STIs and TB

The desk review of ICT tools, which the Integrate Steering Committee identified as the most appropriate methodology to collect information about existing technology specifically designed for combination prevention strategies of HIV and STIs, was carried-out by some of the organizations involved in WP7 Obj. 1 between October 2017 and January 2018.

### 2.1 Partners involved

The following organizations took part to the review and were coordinated by the WP co-leading organization, LILA Milano:

- CIPH, Health Institution - Croatia
- CRI Croce Rossa Italiana, NGO, Italy
- Flight, NGO - Croatia
- Iskorak, NGO - Croatia
- LILA Milano, NGO, Italy
- MFH, Health Institution - Malta
- SU, Academia - Hungary

### 2.2 Division of tasks and search areas/criteria

Involved partners were assigned different topics around which to focus their search, in order to avoid overlaps. The following areas were identified before starting the desk review and partner organizations agreed to their tasks in accordance to their experience in the specific areas of interest.

- ICT tools developed for public health staff in the delivery of STI, hepatitis and TB services
- ICT tools targeted to migrants
- ICT tools targeted to PUD
- ICT tools targeted to MSM
- ICT tools around testing, partner notification, PrEP, documents already suggested for review
- ICT tools developed for public health staff in the delivery of HIV services
- ICT tools targeted to youth

Furthermore, the review took into account the suggestions given by the Steering Committee members during the first face-to-face meeting in Bruxelles and all the documents produced during previous and ongoing EU funded projects and initiatives on the issues of HIV, viral hepatitis and TB:

- E-DETECT
- ESTICOM
- Euro HIV EDAT
- European Testing Week
- HA-REACT
- Harm Reduction Platform
- HEPCARE EUROPE
- HIV in Europe

- HIV-COBATEST
- JA Quality Action
- optTEST
- TUBIDU

## 2.3 Matrix Structure

The information collected was organized and listed in the “Integrate Mapping Matrix” introduced by WP2 lead partner, so that data could be assembled from the beginning in the same way as the rest of the other project documents and references. The final structure of the mapping matrix is as follows:

- Review Code
- Source
- Name
- Description
- Use
- Type of Tool
- Availability
- Target Audience
- End Users
- Disease
- Link/Access to the Tool
- Countries (where tool is available)
- Contact Email, Contact Person
- Adaptable (Scale 0-5)
- Reproducible (Scale 0-5)
- Data Relevance (Scale 0-5)

## 2.4 Mapping Matrix of ICT Tools


At the beginning of February 2018, the outcomes of the reviews conducted by WP7 Obj 1 partners were assembled, cleaned and harmonized in order to obtain a first version of the complete Mapping Matrix of ICT Tools. In total, the first Matrix consisted of 115 tools.

Two teleconferences were held in February and March to discuss with the project coordinators the best criteria to reduce the number of tools before submitting those deemed to be the most relevant for adaptation to the evaluation of the Steering Committee and Advisory Board members. After the first consultation, the Matrix was adjusted according to the input received and some tools were excluded, bringing the total number down to 74. Most of them as a matter of fact were not apps or websites, but rather online guides, manuals or training modules. Training materials were flagged to WP8 partners for their consideration.

After the second T/C, the list was further reduced: the final Matrix consisted of 53 tools which were divided for convenience into two groups and ordered by “Use”:

- Group 1 – Prevention, containing 29 tools related to Prevention, Harm Reduction and PrEP;
- Group 2 – Testing, containing 24 tools related to Testing, Partner Notification and Linkage to Care.

### 2.4.1 Flowchart of the ICT Tools Review and Selection



### 2.5 Evaluation of the tools suitable for adaptation

An "ICT Combination Prevention Tools Review Form" was created to make the evaluation process as simple and smooth as possible for those involved. SC and AB partners received the form and the final Mapping Matrix with the link to the tools in mid-April.

## 2.5.1 ICT Combination Prevention Tools Review Form

Page 1



### ICT Combination Prevention Tools – Review Form

As part of WP7 Objective 1, a desk review has identified existing ICT tools used for the combination prevention of HIV, STIs, viral hepatitis and TB.

In order to select the best practice tools which can be best adapted to cover the different disease areas, key affected groups and healthcare settings, we ask you to please review and grade each presented tool. Your expert opinion [will](#) support the methodology of the selection process of the tools. It is envisioned that these tools will be adapted for various contexts and be provided for healthcare workers, policy makers, etc. for use in prevention efforts, as well as for the different target groups, to improve their access to prevention and testing services, and their adherence to treatment and care.

The tools provided have been extracted into a template abstract format, and after the Steering Committee meeting will undergo further review. With assistance from other experts in the field, the chosen tools will be adapted for the disease areas and key populations.

You are invited to choose one of the two group of ICT tools, which include different areas of focus. If you wish to review all the tools, please feel free to do so. The areas of focus include different combination prevention methods in the following themes:

**Group 1- Prevention\*** (end users: often key affected groups, people who need to protect themselves)

- Prevention **PRV**
- Harm Reduction **HR**
- PrEP **PrEP**

\*Total: 29 ICT tools to be reviewed by Group 1

**Group 2- Testing\*\*** (end users: healthcare workers, lay providers and patients)

- Testing **TST**
- Partner notification **PN**
- Linkage to care **LTC**

\*\*Total: 24 ICT tools to be reviewed by Group 2

Please review each tool and grade it using the 5-point scale provided, a score of 1 meaning the tool is not suitable for adaptation and should be rejected and a score of 5 meaning the tool is easily adaptable and should be included in the pilot study. If you have any conflict of interest with the tool creators, stakeholders or participants, please indicate by selecting "Conflict of interest/Not in my field of expertise".

Proposed Evaluation criteria for each tool:

- 1) Suitability for its purpose
- 2) Adaptability to the four different disease areas (HIV, STIs, viral hepatitis and TB)



## Page 2-3

- 3) Transferability across different regions, practice models, etc.
- 4) User-friendliness / ease of use suitable for adaptation / costs involved in adaptation
- 5) Capacity to reach key affected groups (MSM, PLHIV, PWID, migrants, youth, prisoners, etc.)
- 6) Capacity to determine effectiveness (data on access, usage, etc.)
- 7) Sustainability

If you have any questions or comments, please contact Lella Cosmaro: [lcsmaro@ilamiano.it](mailto:lcsmaro@ilamiano.it).  
Please send the completed form to the same e-mail address.

Please provide your name: \_\_\_\_\_

Please provide your email address: \_\_\_\_\_

### Group 1: Prevention

Tool	1: Not relevant for adaptation, to be rejected definitely	2: Not easily adaptable, rather not include	3: Unsure if would be useful to adapt	4: Potential for adaptation, possibly include	5: Very adaptable, to be included definitely	Conflict of interest/ Not in my expertise
PRV1	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
PRV2	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
PRV3	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
PRV4	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
PRV5	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
PRV6	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
PRV7	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
PRV8	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
PRV9	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
PRV10	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
PRV11	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
PRV12	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
PRV13	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
PRV14	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
PRV15	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
PRV16	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
PRV17	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
PRV18	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
PRV19	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
PRV20.TST.LIC	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
PRV21.TST.LIC	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
PRV22.TX	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
PRV23.TX	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
PRV24.TX	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Please indicate any other ICT tool on Prevention that you would like to suggest for this review:

Tool	1: Not relevant for adaptation, to be rejected definitely	2: Not easily adaptable, rather not include	3: Unsure if would be useful to adapt	4: Potential for adaptation, possibly include	5: Very adaptable, to be included definitely	Conflict of interest/ Not in my expertise
HR1	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Please indicate any other ICT tool on Harm reduction that you would like to suggest for this review:

Tool	1: Not relevant for adaptation, to be rejected definitely	2: Not easily adaptable, rather not include	3: Unsure if would be useful to adapt	4: Potential for adaptation, possibly include	5: Very adaptable, to be included definitely	Conflict of interest/ Not in my expertise
PrEP1	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
PrEP2	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
PrEP3	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
PrEP4	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Please indicate any other ICT tool on PrEP that you would like to suggest for this review:

## Page 4-5

### Group 2: Testing

Tool	1: Not relevant for adaptation, to be rejected definitely	2: Not easily adaptable, rather not include	3: Unsure if would be useful to adapt	4: Potential for adaptation, possibly include	5: Very adaptable, to be included definitely	Conflict of interest/ Not in my expertise
TST1	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
TST2	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
TST3	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
TST4	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
TST5	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
TST6	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
TST7	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
TST8	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
TST9	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
TST10	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
TST11	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
TST12, PN	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
TST13, PRV	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
TST14, PRV	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Please indicate any other ICT tool on Testing that you would like to suggest for this review:

### Partner notification

Tool	1: Not relevant for adaptation, to be rejected definitely	2: Not easily adaptable, rather not include	3: Unsure if would be useful to adapt	4: Potential for adaptation, possibly include	5: Very adaptable, to be included definitely	Conflict of interest/ Not in my expertise
PN1	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
PN2	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
PN3	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
PN4	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
PN5	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
PN6	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
PN7	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
PN8	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Please indicate any other ICT tool on Partner notification that you would like to suggest for this review:

### Linkage to care

Tool	1: Not relevant for adaptation, to be rejected definitely	2: Not easily adaptable, rather not include	3: Unsure if would be useful to adapt	4: Potential for adaptation, possibly include	5: Very adaptable, to be included definitely	Conflict of interest/ Not in my expertise
LIC1	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
LIC2	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Please indicate any other ICT tool on Linkage to care that you would like to suggest for this review:

Thank you!

## 2.5.2 ICT Tools Mapping Matrix for Review

A	B	C	D	E	F	G	H	I	J	K	L
Review	Source	Name	Description	Use	Type of tool	Availability	Target Audience	End Users	Disease	Link / Access to the tool	European Countries
1	HR1	David Stuart	Online care plan	Contraception, Harm Reduction	Online Resource	Public Online	MSM	MSM	HIV	<a href="http://www.davidstuart.org/care-plan">http://www.davidstuart.org/care-plan</a>	United Kingdom
2	LC12	Ryan Community	How Your Health	Tarting, Linkage to care	Mobile application	Public Online	Youth	Youth	HIV	<a href="https://www.ryancommunity.org/">https://www.ryancommunity.org/</a>	Poland
3	PR1	ClassOUT.org	HIV Testing & Care	Tarting, Treatment, Linkage to	Mobile application	Public Online	Key Population	Key Population	HIV	<a href="https://www.classout.org/">https://www.classout.org/</a>	Belgium
4	PR2	Ukrainian	2IT	Partner Notification	Webchat, BCS (interactive digital)	Not currently in	MSM Public	Healthcare provider, Civil society	HIV, Hepatitis	<a href="https://www.classout.org/">https://www.classout.org/</a>	UK
5	PR3	SOARIS	PrEP	Partner Notification	Mobile application	Public Online	MSM Public	Healthcare provider, Civil society	HIV, Hepatitis	<a href="https://www.classout.org/">https://www.classout.org/</a>	Belgium
6	PR4	Let Them Know	Let Them Know	Partner Notification	Mobile application	Public Online	MSM Public	Healthcare provider, Civil society	HIV, Hepatitis	<a href="https://www.classout.org/">https://www.classout.org/</a>	Belgium
7	PR5	Let Them Know	Let Them Know	Partner Notification	Mobile application	Public Online	MSM Public	Healthcare provider, Civil society	HIV, Hepatitis	<a href="https://www.classout.org/">https://www.classout.org/</a>	Belgium
8	PR6	Let Them Know	Let Them Know	Partner Notification	Mobile application	Public Online	MSM Public	Healthcare provider, Civil society	HIV, Hepatitis	<a href="https://www.classout.org/">https://www.classout.org/</a>	Belgium
9	PR7	Let Them Know	Let Them Know	Partner Notification	Mobile application	Public Online	MSM Public	Healthcare provider, Civil society	HIV, Hepatitis	<a href="https://www.classout.org/">https://www.classout.org/</a>	Belgium
10	PR8	Let Them Know	Let Them Know	Partner Notification	Mobile application	Public Online	MSM Public	Healthcare provider, Civil society	HIV, Hepatitis	<a href="https://www.classout.org/">https://www.classout.org/</a>	Belgium
11	PR9	Let Them Know	Let Them Know	Partner Notification	Mobile application	Public Online	MSM Public	Healthcare provider, Civil society	HIV, Hepatitis	<a href="https://www.classout.org/">https://www.classout.org/</a>	Belgium
12	PR10	Let Them Know	Let Them Know	Partner Notification	Mobile application	Public Online	MSM Public	Healthcare provider, Civil society	HIV, Hepatitis	<a href="https://www.classout.org/">https://www.classout.org/</a>	Belgium
13	PR11	Let Them Know	Let Them Know	Partner Notification	Mobile application	Public Online	MSM Public	Healthcare provider, Civil society	HIV, Hepatitis	<a href="https://www.classout.org/">https://www.classout.org/</a>	Belgium
14	PR12	Let Them Know	Let Them Know	Partner Notification	Mobile application	Public Online	MSM Public	Healthcare provider, Civil society	HIV, Hepatitis	<a href="https://www.classout.org/">https://www.classout.org/</a>	Belgium
15	PR13	Let Them Know	Let Them Know	Partner Notification	Mobile application	Public Online	MSM Public	Healthcare provider, Civil society	HIV, Hepatitis	<a href="https://www.classout.org/">https://www.classout.org/</a>	Belgium
16	PR14	Let Them Know	Let Them Know	Partner Notification	Mobile application	Public Online	MSM Public	Healthcare provider, Civil society	HIV, Hepatitis	<a href="https://www.classout.org/">https://www.classout.org/</a>	Belgium
17	PR15	Let Them Know	Let Them Know	Partner Notification	Mobile application	Public Online	MSM Public	Healthcare provider, Civil society	HIV, Hepatitis	<a href="https://www.classout.org/">https://www.classout.org/</a>	Belgium
18	PR16	Let Them Know	Let Them Know	Partner Notification	Mobile application	Public Online	MSM Public	Healthcare provider, Civil society	HIV, Hepatitis	<a href="https://www.classout.org/">https://www.classout.org/</a>	Belgium
19	PR17	Let Them Know	Let Them Know	Partner Notification	Mobile application	Public Online	MSM Public	Healthcare provider, Civil society	HIV, Hepatitis	<a href="https://www.classout.org/">https://www.classout.org/</a>	Belgium
20	PR18	Let Them Know	Let Them Know	Partner Notification	Mobile application	Public Online	MSM Public	Healthcare provider, Civil society	HIV, Hepatitis	<a href="https://www.classout.org/">https://www.classout.org/</a>	Belgium
21	PR19	Let Them Know	Let Them Know	Partner Notification	Mobile application	Public Online	MSM Public	Healthcare provider, Civil society	HIV, Hepatitis	<a href="https://www.classout.org/">https://www.classout.org/</a>	Belgium
22	PR20	Let Them Know	Let Them Know	Partner Notification	Mobile application	Public Online	MSM Public	Healthcare provider, Civil society	HIV, Hepatitis	<a href="https://www.classout.org/">https://www.classout.org/</a>	Belgium
23	PR21	Let Them Know	Let Them Know	Partner Notification	Mobile application	Public Online	MSM Public	Healthcare provider, Civil society	HIV, Hepatitis	<a href="https://www.classout.org/">https://www.classout.org/</a>	Belgium
24	PR22	Let Them Know	Let Them Know	Partner Notification	Mobile application	Public Online	MSM Public	Healthcare provider, Civil society	HIV, Hepatitis	<a href="https://www.classout.org/">https://www.classout.org/</a>	Belgium
25	PR23	Let Them Know	Let Them Know	Partner Notification	Mobile application	Public Online	MSM Public	Healthcare provider, Civil society	HIV, Hepatitis	<a href="https://www.classout.org/">https://www.classout.org/</a>	Belgium
26	PR24	Let Them Know	Let Them Know	Partner Notification	Mobile application	Public Online	MSM Public	Healthcare provider, Civil society	HIV, Hepatitis	<a href="https://www.classout.org/">https://www.classout.org/</a>	Belgium
27	PR25	Let Them Know	Let Them Know	Partner Notification	Mobile application	Public Online	MSM Public	Healthcare provider, Civil society	HIV, Hepatitis	<a href="https://www.classout.org/">https://www.classout.org/</a>	Belgium
28	PR26	Let Them Know	Let Them Know	Partner Notification	Mobile application	Public Online	MSM Public	Healthcare provider, Civil society	HIV, Hepatitis	<a href="https://www.classout.org/">https://www.classout.org/</a>	Belgium
29	PR27	Let Them Know	Let Them Know	Partner Notification	Mobile application	Public Online	MSM Public	Healthcare provider, Civil society	HIV, Hepatitis	<a href="https://www.classout.org/">https://www.classout.org/</a>	Belgium
30	PR28	Let Them Know	Let Them Know	Partner Notification	Mobile application	Public Online	MSM Public	Healthcare provider, Civil society	HIV, Hepatitis	<a href="https://www.classout.org/">https://www.classout.org/</a>	Belgium
31	PR29	Let Them Know	Let Them Know	Partner Notification	Mobile application	Public Online	MSM Public	Healthcare provider, Civil society	HIV, Hepatitis	<a href="https://www.classout.org/">https://www.classout.org/</a>	Belgium
32	PR30	Let Them Know	Let Them Know	Partner Notification	Mobile application	Public Online	MSM Public	Healthcare provider, Civil society	HIV, Hepatitis	<a href="https://www.classout.org/">https://www.classout.org/</a>	Belgium
33	PR31	Let Them Know	Let Them Know	Partner Notification	Mobile application	Public Online	MSM Public	Healthcare provider, Civil society	HIV, Hepatitis	<a href="https://www.classout.org/">https://www.classout.org/</a>	Belgium
34	PR32	Let Them Know	Let Them Know	Partner Notification	Mobile application	Public Online	MSM Public	Healthcare provider, Civil society	HIV, Hepatitis	<a href="https://www.classout.org/">https://www.classout.org/</a>	Belgium
35	PR33	Let Them Know	Let Them Know	Partner Notification	Mobile application	Public Online	MSM Public	Healthcare provider, Civil society	HIV, Hepatitis	<a href="https://www.classout.org/">https://www.classout.org/</a>	Belgium
36	PR34	Let Them Know	Let Them Know	Partner Notification	Mobile application	Public Online	MSM Public	Healthcare provider, Civil society	HIV, Hepatitis	<a href="https://www.classout.org/">https://www.classout.org/</a>	Belgium
37	PR35	Let Them Know	Let Them Know	Partner Notification	Mobile application	Public Online	MSM Public	Healthcare provider, Civil society	HIV, Hepatitis	<a href="https://www.classout.org/">https://www.classout.org/</a>	Belgium
38	PR36	Let Them Know	Let Them Know	Partner Notification	Mobile application	Public Online	MSM Public	Healthcare provider, Civil society	HIV, Hepatitis	<a href="https://www.classout.org/">https://www.classout.org/</a>	Belgium
39	PR37	Let Them Know	Let Them Know	Partner Notification	Mobile application	Public Online	MSM Public	Healthcare provider, Civil society	HIV, Hepatitis	<a href="https://www.classout.org/">https://www.classout.org/</a>	Belgium
40	PR38	Let Them Know	Let Them Know	Partner Notification	Mobile application	Public Online	MSM Public	Healthcare provider, Civil society	HIV, Hepatitis	<a href="https://www.classout.org/">https://www.classout.org/</a>	Belgium
41	PR39	Let Them Know	Let Them Know	Partner Notification	Mobile application	Public Online	MSM Public	Healthcare provider, Civil society	HIV, Hepatitis	<a href="https://www.classout.org/">https://www.classout.org/</a>	Belgium
42	PR40	Let Them Know	Let Them Know	Partner Notification	Mobile application	Public Online	MSM Public	Healthcare provider, Civil society	HIV, Hepatitis	<a href="https://www.classout.org/">https://www.classout.org/</a>	Belgium
43	PR41	Let Them Know	Let Them Know	Partner Notification	Mobile application	Public Online	MSM Public	Healthcare provider, Civil society	HIV, Hepatitis	<a href="https://www.classout.org/">https://www.classout.org/</a>	Belgium
44	PR42	Let Them Know	Let Them Know	Partner Notification	Mobile application	Public Online	MSM Public	Healthcare provider, Civil society	HIV, Hepatitis	<a href="https://www.classout.org/">https://www.classout.org/</a>	Belgium
45	PR43	Let Them Know	Let Them Know	Partner Notification	Mobile application	Public Online	MSM Public	Healthcare provider, Civil society	HIV, Hepatitis	<a href="https://www.classout.org/">https://www.classout.org/</a>	Belgium
46	PR44	Let Them Know	Let Them Know	Partner Notification	Mobile application	Public Online	MSM Public	Healthcare provider, Civil society	HIV, Hepatitis	<a href="https://www.classout.org/">https://www.classout.org/</a>	Belgium
47	PR45	Let Them Know	Let Them Know	Partner Notification	Mobile application	Public Online	MSM Public	Healthcare provider, Civil society	HIV, Hepatitis	<a href="https://www.classout.org/">https://www.classout.org/</a>	Belgium
48	PR46	Let Them Know	Let Them Know	Partner Notification	Mobile application	Public Online	MSM Public	Healthcare provider, Civil society	HIV, Hepatitis	<a href="https://www.classout.org/">https://www.classout.org/</a>	Belgium
49	PR47	Let Them Know	Let Them Know	Partner Notification	Mobile application	Public Online	MSM Public	Healthcare provider, Civil society	HIV, Hepatitis	<a href="https://www.classout.org/">https://www.classout.org/</a>	Belgium
50	PR48	Let Them Know	Let Them Know	Partner Notification	Mobile application	Public Online	MSM Public	Healthcare provider, Civil society	HIV, Hepatitis	<a href="https://www.classout.org/">https://www.classout.org/</a>	Belgium
51	PR49	Let Them Know	Let Them Know	Partner Notification	Mobile application	Public Online	MSM Public	Healthcare provider, Civil society	HIV, Hepatitis	<a href="https://www.classout.org/">https://www.classout.org/</a>	Belgium
52	PR50	Let Them Know	Let Them Know	Partner Notification	Mobile application	Public Online	MSM Public	Healthcare provider, Civil society	HIV, Hepatitis	<a href="https://www.classout.org/">https://www.classout.org/</a>	Belgium
53	PR51	Let Them Know	Let Them Know	Partner Notification	Mobile application	Public Online	MSM Public	Healthcare provider, Civil society	HIV, Hepatitis	<a href="https://www.classout.org/">https://www.classout.org/</a>	Belgium
54	PR52	Let Them Know	Let Them Know	Partner Notification	Mobile application	Public Online	MSM Public	Healthcare provider, Civil society	HIV, Hepatitis	<a href="https://www.classout.org/">https://www.classout.org/</a>	Belgium

The review was performed in April/May 2018 by the SC members and also by a few AB members. Some of them rated all the tools submitted for review, while other members chose to rate one of the two groups of tools only. In total, 17 forms were collected.

WP7 partner CERTH will be responsible for the adaptation and creation of the 'Integrate ICT tool(s)' to be piloted during the project, conducted a more in-depth evaluation of the tools from a technical standpoint, focusing of three specific aspects, i.e. their adaptability, reproducibility and finally data relevance, rating them on a scale from 0 to 5. As a result of their evaluation, they produced document which is included to this report (Appendix A).

The outcome of the review process clearly identified a few tools that received high scores both by the reviewers and by CERTH. The results of the review were examined at the end of June during a dedicated teleconference with the project coordinator, WP7 lead partners and CERTH. After the discussion and suggestions emerged during the call, CERTH shortlisted the following 7 tools with the purpose of presenting them to the Steering Committee during the face-to-face meeting taking place in Amsterdam at the end of July:

- PRV17 – Your Ending HIV Toolkit <https://endinghiv.org.au/toolkit/>
- HR1 – Chemsex Care Plan <http://www.davidstuart.org/care-plan>
- PrEP1 – PrEP in Europe <http://www.prepineurope.org/en/who-is-the-prep-in-europe-initiative/>
- PrEP2 – PrEP Locator <https://preplocator.org>
- TST8 – What's your number <http://checkhimout.ca/testing/>
- PN6 – Let Them Know <http://www.letthemknow.org.au/index.html>
- PN7 – Don't Spread It <https://dontspreadit.com/>

### 3. ICT Tools shortlisted for adaptation

The following document provided by CERTH describes in detail the ICT tools that received the highest scores during the review and are being considered for their possible adaptation to cover all the disease areas and target different vulnerable groups.

#### 3.1 List of shortlisted tools


##### 3.1.1 PRV17 – YOUR ENDINGHIV TOOLKIT

Interactive website that gives information about risk for HIV and STIs, testing frequency, booking a test, etc.





Review Code	Name	Type of Tool	Access to Tool	Adaptable	Reproducible	Data Relevance
PRV17	YOUR ENDINGHIV TOOLKIT	Website	<a href="https://endinghiv.org.au/toolkit/">https://endinghiv.org.au/toolkit/</a>	4	5	4

Key features:

- Interactive Website/Toolkit about:
  - ✓ How often user should be tested
  - ✓ Test Locator
  - ✓ Test Booking
  - ✓ Partner Notification
  - ✓ Risk Calculator
  - ✓ Reminders
  - ✓ Chat
- Simple and pleasant UI



[Test Often](#)
[Treat Early](#)
[Stay Safe](#)
[Ending HIV](#)
[STIs](#)
[Blog](#)
[Toolkit](#)





[SIGN UP](#)
[BOOK A TEST](#)

## HOW OFTEN SHOULD I TEST?

To maintain good sexual health and to help end HIV, we need to test more frequently. Find out how often you should test.

### WHAT'S YOUR HIV STATUS?

?
-
+

### IN THE LAST 6 MONTHS, HOW MANY SEXUAL PARTNERS DID YOU HAVE?





0
1
2-9
10+

TWO TO FOUR TIMES A YEAR

Based on your answers, you should be testing twice to four times a year, for both HIV and STIs.

You can get tested at GPs, sexual health clinics and community-based services such as a[TEST]. Find your closest testing location [here](#).

[Test Often](#)
[Treat Early](#)
[Stay Safe](#)
[Ending HIV](#)
[STIs](#)
[Blog](#)
[Toolkit](#)





[SIGN UP](#)
[BOOK A TEST](#)

## WHERE TO GET TESTED


Find the nearest location where you can get tested for HIV and STIs using our tool below.

Filter options:





☐ HIV and STI Test
 ☐ Rapid HIV Test
 ☐ a[TEST]

☐ PrEP

[a\[TEST\] KINGS CROSS](#)
[a\[TEST\] NEWTOWN](#)
[a\[TEST\] OXFORD STREET](#)
[a\[TEST\] SURRY HILLS](#)
[ALBION CENTRE](#)



[Test Often](#)
[Treat Early](#)
[Stay Safe](#)
[Ending HIV](#)
[STIs](#)
[Blog](#)
[Toolkit](#)





[SIGN UP](#)
[BOOK A TEST](#)

## TESTING HAS NEVER BEEN EASIER

Getting tested more often is good for your health, and can help our community end new HIV transmission. Take advantage of a[TEST], a fast, free and confidential rapid HIV and STI testing service for gay, bisexual and other men who have sex with men, regardless of HIV status including gender diverse people and anyone with a trans experience.

You can find a[TEST] in four locations across Sydney: Surry Hills, Oxford St (Darlinghurst), Newtown and Kings Cross.

Our peer educators (trained guys from our communities) and nursing staff always provide a friendly, welcoming and professional testing experience, and even better, your entire appointment will only take around 30 minutes, including getting the result of your rapid HIV test.

### What can I expect?

HIV Testing: MaxShield visits a[TEST]

## BOOK A TEST AT a[TEST]

Are you a man (cis or trans) who has sex with men?

☐ Yes ☒ No





a[TEST] is Rapid HIV & STI testing for gay men and other men who have sex with men.

Check OUT: LGBTQ+ Sexual Health Clinic in Surry Hills provides free and confidential HIV/STI testing and cervical screening for all LGBTQ+ people: [www.checkout.org.au](http://www.checkout.org.au)

For further information on general testing services, please contact Sydney Sexual Health Clinic on (02) 9382 7440 or visit [www.sshc.com.au](http://www.sshc.com.au)

You can also contact the NSW Sexual Health Infoline on freecall 1800 451 624.

[Test Often](#)
[Treat Early](#)
[Stay Safe](#)
[Ending HIV](#)
[STIs](#)
[Blog](#)
[Toolkit](#)





[SIGN UP](#)
[BOOK A TEST](#)

## LET THEM KNOW

Had an STI recently and want to tell your partners?

Telling a guy you've contracted an STI might be a little uncomfortable, but if you don't, STIs can continue to be passed on. So, when you're letting your partner(s) know you've contracted an STI, you're helping them take charge of their health.

This tool enables you to anonymously inform your recent sexual partner(s) that they may have contracted an STI and that they should consider getting an STI test.

This is done via SMS or email and your details won't be provided so your identity always remains anonymous.

Please use this service appropriately and consider any implications to the recipient.

## SEND AN ANONYMOUS MESSAGE

Choose how to send your message

☐ Text message ☐ Email

## SEND AN ANONYMOUS MESSAGE

[✕ RESET](#)

### 1. Partner's details

1/5

c	cc@ff
---	-------

[+ ADD ANOTHER](#)

### 2. Select one or more STIs

<input checked="" type="checkbox"/> Chlamydia	<input type="checkbox"/> Gonorrhoea	<input type="checkbox"/> Hepatitis A
<input checked="" type="checkbox"/> Hepatitis B	<input type="checkbox"/> Hepatitis C	<input type="checkbox"/> LGV
<input type="checkbox"/> Non Specific Urethritis (NSU)	<input type="checkbox"/> Syphilis	<input type="checkbox"/> Shigella

### 3. Preview your message

Hi c,

You're receiving this email because someone you recently hooked up with has been diagnosed with Chlamydia and Hepatitis B.

Please visit your nearest sexual health clinic or doctor for a STI check-up as soon as possible. Visit [endinghiv.org.au/got-notified](http://endinghiv.org.au/got-notified) for more information. Please do not reply to this message.

Thanks.

[SEND MESSAGE](#)

## RISK CALCULATOR

Depending on the type of sex you're having, the level of risk of HIV transmission can vary. Use this calculator to find out the risk associated to scenarios based on anal sex and where condoms are not being used.

[Oral sex](#) is considered to be very low risk for HIV, and [condoms](#), when used properly with lube, are a highly effective way to prevent HIV and other STIs.

Remember, what is low risk for HIV is not necessarily low risk for STIs such as [syphilis](#), [chlamydia](#), [gonorrhoea](#) and [LGV](#).


YOU'RE	YOUR HIV STATUS	HIS HIV STATUS	WAYS TO REDUCE RISK	
FUCKING	? - +	? - +	SAME HIV STATUS	UNDETECTABLE
BEING FUCKED			PULLING OUT	- TOP / + BOTTOM
			PREP	

### HIGH RISK

Pulling out is when you pull your cock out of your partner's arse before cumming. Despite what many people think - pulling out is not an effective way of reducing HIV transmission. This is because pre-cum still carries HIV, which can enter your partner's bloodstream through their arse.

In this situation, you could be putting your partner at higher risk of HIV infection. However, there is no risk if you have an [undetectable viral load](#) or if your partner is taking [PrEP](#).

If you think you may have been recently exposed to HIV you should consider getting [PEP](#) to prevent you from being infected with HIV.



The screenshot shows the Wappalyzer interface with the following categories and detected technologies:

- CMS:** WordPress 4.8.6
- Widget:** Facebook, Twitter
- Analytics:** Google Analytics
- Font Script:** Font Awesome, Google Font API
- Web Server:** LiteSpeed
- Programming Language:** PHP 5.6.36
- Google Analytics:** Google Analytics, TrackJs
- Blog:** WordPress 4.8.6
- JavaScript Framework:** jQuery 1.12.4, jQuery Migrate 1.4.1
- Map:** Google Maps
- Tag Manager:** Google Tag Manager

### 3.1.2 HR1 - Chemsex Care Plan

An online guide with videos for creating a plan for chemsex users. It can be done with a healthcare provider, or on your own.


Review Code	Name	Type of Tool	Access to Tool	Adaptable	Reproducible	Data Relevance
HR1	Chemsex Care Plan	<a href="http://www.davidstuart.org/ca-re-plan">http://www.davidstuart.org/ca-re-plan</a>	Website	5	5	5



Key features:

- “Interactive” Website: “Create own care plan”
  - ✓ Users choose a goal (abstinence, safer practices etc.) and answer questions about their habits, lifestyle and perceived confidence in achieving his chosen goal

- ✓ According to the answers, users are lead to pages with extensive information on how to achieve the goal, YouTube videos of David Stuart discussing particular topics and related links to useful websites and apps (for example the <https://www.kitestring.io/> app so that a friend can check up on the users in case they are in a compromising position)
- The site is available in many languages (English, Chinese, Croatian, Dutch, French, German, Greek, Portuguese (Brazil), Russian, Ukrainian, Spanish, Portuguese (European), Hebrew, Italian, Swedish, Slovenian, Korean, Polish)



### 3.1.3 PrEP1 – PrEP in Europe

Info on PrEP, how to take PrEP, where to buy PrEP

Review Code	Name	Type of Tool	Access to Tool	Adaptable	Reproducible	Data Relevance
PrEP1	PrEP in Europe	<a href="http://www.prepin-europe.org/en/who-is-the-prep-in-europe-initiative/">http://www.prepin-europe.org/en/who-is-the-prep-in-europe-initiative/</a>	Website	5	5	5

Key features:

- Website that offers information about PrEP and tips on how to get PrEP in various EU countries

[Home](#) > [How do I get PrEP](#)

## How do I get PrEP



How do I get PrEP through my  
National Health Service

How do I get PrEP through a trial

Buying it online

### 3.1.4 PrEP2 – PrEP Locator


US national database of PrEP providers

Review Code	Name	Type of Tool	Access to Tool	Adaptable	Reproducible	Data Relevance
PrEP2	PrEP Locator	<a href="https://preplocator.org/">https://preplocator.org/</a>	Website	5	5	0

Key features:

- Website that shows information on PrEP providers depending on location – available only in the USA.

PrEP Locator  Find Your Provider



- A widget is also provided, that can be added to other websites as well as an API.



## PrEP Locator Find Your Provider

[About Us](#)
[About PrEP](#)
[Locator Data](#)
[FAQ](#)
[Add Provider](#)
[Add Locator To Your Site](#)
[Contact](#)

### Publicly Available Tools

#### Adding the PrEP Locator Widget to Your Site


The PrEP Locator provides a map-based widget that can be embedded on your site. It is 1265 pixels wide by 810 pixels high.

Copy the preplocator.org widget code:

```
<iframe width="1265" height="810" src="https://preplocator.org/prep-widget/" frameborder="0" allowfullscreen></iframe>
```

#### API

For API access, please download NPIN's [Organization API Endpoint documentation here](#).




### 3.1.5 TST8 – What's your number

A tool for MSM to determine how often they should get an HIV test. It also includes reminders to get tested and directory of where to get tested.

Review Code	Name	Type of Tool	Access to Tool	Adaptable	Reproducible	Data Relevance
TST8	What's your number	Website	<a href="http://checkhimout.ca/testing/">http://checkhimout.ca/testing/</a>	4	5	2

Key features:

- Users answer questions and find out how often they should be tested for HIV&STIs and can then set up a reminder.



**WHAT'S YOUR NUMBER?**

Each guy has a number that works for him. Take the quiz to find your number.

Knowing your HIV status is an important part of a healthy sex life. Testing is the only way to know your status for sure. Some guys should test for HIV more often, depending on the type of sex they're having. Guys who are more at risk should test every 3 months. Guys who are less at risk should test every 12 months. When it comes to HIV testing, everyone's got a number. HIM now offers free email and text messaging reminders.

**Find your Number**  
How often should you test for HIV? Take the quiz.

1. Are you a guy who has sex with guys?

YES  
NO


**Remind me to get tested**  
You're busy. We can help.  
Remind me to get tested every:

3 Months (More at risk)

Enter e-mail or cellphone number

GO

- Can schedule reminders via email or SMS (Canada).



**Remind me to get tested**  
You're busy. We can help.  
Remind me to get tested every:

3 Months (More at risk)

Enter e-mail or cellphone number

GO

- Information on Risk Spectrum for HIV.
- Easy-to-use Risk Calculator.

WHAT'S YOUR #

KNOW YOUR RISK

WHERE TO GET TESTED

TELL YOUR PARTNERS

ABOUT HIV & STI'S

Know Your Risk

- I'm a Top
- I'm a Bottom
- I'm Versatile
- I'm in a Monogamous Relationship
- I'm in an Open Relationship
- I've Recently Become HIV positive
- I Like Variety, Lots of It
- I Pick Up Online a Lot
- I Use Drugs while Having Sex (PrEP)
- I Have Sex without Condoms


Reduce Your Risk

- Use Condoms
- PrEP
- Get Tested
- Counselling
- Learn about PEP
- Sero-sorting: Poz or Neg?
- Strategic Positioning: Top or Bottom?
- TaSP/ U=U
- Learn about Viral Loads

Know Your Risk

Not all sex has the same risk. Your risk of picking up or passing on HIV depends on the kind of sex you have, your HIV status, your partner's HIV status and condom use. The guys at HIM believe you can have great sex and still reduce your risk by making smart, informed decisions. We're not going to tell you how to have sex, but we will offer some techniques for reducing the risk associated with the kind of sex you want to have.

HIV SPECTRUM OF RISK



No Risk or Very Low Risk

Kissing/ spit swapping, hand job/mutual masturbation, receiving or giving oral sex with a condom, rimming with a dental dam. All sex while on PrEP, if used according to BC Centre for Excellence in HIV/AIDS guidelines. All sex with a partner who is undetectable and treatment adherent.

Low Risk

Receiving oral sex with no condom and no ejaculation in mouth, giving oral sex with no condom and no ejaculation in mouth, rimming with no dental dam, anal sex where using a condom is your primary prevention method.

Moderate Risk

Giving oral sex with ejaculation to a guy whose status is unknown or one partner is poz and has a detectable viral load. Condomless anal sex between two guys with detectable viral loads run the risk of them acquiring a different strain of HIV.

High Risk

Anal sex (topping) without condoms or PrEP with a guy whose status is unknown or has a detectable viral load.

Very High Risk

HIV Risk Calculator

1- What kind of sex are you having?

Getting Sucked

Sucking

Rimming

Topping

Bottoming

2- Are you?

HIV Negative

HIV Positive

I'm not sure

3- Your partner is?

HIV Negative

HIV Positive-undetectable viral load

HIV Positive-detectable or unknown viral load

I'm not sure

4- What HIV Prevention tools are you using?

Condoms

PrEP

Treatment as Prevention (TaSP)/ U=U

None of the above

CALCULATE HIV RISK

## – Testing Sites Locator (for Canada).

### When it comes to testing, you have choices.

Whether you're getting tested every 3 months, every 12 months, after a risk event, or at the start of a new relationship, you can find a sexual health clinic to meet your needs.

#### STI Clinics and HIM Health Centres

In British Columbia, STI clinics and HIM's Health Centres are well-equipped to meet gay men's testing needs. They have access to the latest HIV & STI testing technologies, and generally have experience with gay men's sexual health issues.

The HIM Health Centres in Vancouver (on [Davie Street](#) and [Commercial Drive](#)) offer dedicated testing and counselling services that are tailored for gay men and other men who have sex with men. The new HIM Health Centres in New Westminster, Surrey and Abbotsford also offer tailored testing services for gay men and other men who have sex with men, but currently do not offer counselling services.

#### Testing with your doctor


You may also opt to test at your family doctor's office. You should know that not all HIV tests are available through your family doctor, and not all doctors are familiar with the new testing guidelines. If you're going to test with your family doctor, be sure that you know your number (3 or 12), and be prepared to ask specifically for an Early test (sometimes called a NAAT or RNA test) if you've had a risk event recently.

#### Types of tests

There are currently three types of HIV tests available in British Columbia. For more information on the types of tests offered, [click here](#). Not all clinics or doctor's offices offer the same tests.

#### Risky sex?

If you have a high-risk event (broken condom, condomless anal sex with a partner whose HIV status you aren't sure of), get tested right away. Find a clinic by using this page, or get in touch with your family doctor. Don't delay.



Find a location

filter by type or test

HIV

search by clinic name, postal code, city name or street address

GO

#### Where to get tested

Visit any of our HIM Health Centres: [HIM's Davie Health Centre](#), [HIM on the Drive](#), [HIM in New West](#) and [HIM in Surrey](#) or [HIM in Abbotsford](#).

Additional locations in your area can be found through [BCCDC's Smart Sex Resource](#).

- Partner Notification (it can notify multiple partners in one go – multiple recipients fields) via email/SMS. It is possible to choose one of 3 available e-card templates.

## Tell Your Partners

### Step 1: Select the appropriate STI(s) you wish to inform your partners about

- ☐ HIV
 ☐ Chlamydia
 ☐ Herpes
 ☐ Gonorrhea  
☐ Hepatitis A
 ☐ Hepatitis B
 ☐ Hepatitis C
 ☐ Syphilis  
☒ Human Papilloma Virus (HPV or Genital Warts)


### Step 2: Enter the name(s) of those you wish to inform and either their email address or phone number


You can enter e-mail addresses or SMS numbers. SMS recipients will receive a text-based version of your card.

Name	E-mail Address or Phone Number (required)
Name	E-mail Address or Phone Number
Name	E-mail Address or Phone Number
Name	E-mail Address or Phone Number
Name	E-mail Address or Phone Number

[+ Add More](#)

### Step 3: If you are sending via email – chose the eCard template for your message



 Choose Card Type

## How-to/Guidelines

This website features a number of tools for gay men and other men who have sex with men to equip themselves with accurate information about their sexual health.

### About the E-Cards

#### Sending

HIM offers free e-mail and SMS-based partner notification e-cards as a service to gay men and other men who have sex with men. If you choose to send a postcard or SMS, please be respectful: notifications should only be sent to those you've had sex with, and are at the risk of picking up or passing on an STI or HIV. You are responsible for the content of these e-cards or SMS messages. We take the partner notification system very seriously, and will take action against anyone found to be abusing it.

#### Receiving

If you receive an e-card or SMS message, don't panic. You don't necessarily have an STI, but you should go to your local sexual health clinic or family doctor as soon as possible to get checked out. Many STI's are curable, and all STI's are treatable. If you do happen to test positive for an STI, we invite you to use this service to let your partners know.

#### Privacy & Legal

Please act responsibly when sending partner notification SMS messages or e-cards. While HIM encourages each person who receives an SMS message or e-card to get tested as soon as possible, HIM cannot be held responsible for any action taken as a result of sending or receiving an SMS message or e-card from this website. We do not collect e-mail addresses. We cannot share, forward or sell your information. There is no backend database on our service.

#### Community Guidelines

Any expressions of hatred, homophobia, transphobia, bigotry, abuse or harassment will not be tolerated. Profanity or defamation will not be tolerated. If you have an unwanted experience with an SMS message or e-card, please contact us at [feedback@checkhimout.ca](mailto:feedback@checkhimout.ca). We will do our best to resolve your issue.

- Chart on sexual activities that put users at risk for STIs.

**WHAT'S YOUR #**
**KNOW YOUR RISK**
**WHERE TO GET TESTED**
**TELL YOUR PARTNERS**
**ABOUT HIV & STI'S**
**ABOUT HIV & STI'S**

- HIV
  - Acute HIV
  - Sero-conversion illness
  - Viral Load
  - Resources for poz guys
  - Types of HIV Tests
- Chlamydia
- Genital Herpes
- Gonorrhea
- Hepatitis A
- Hepatitis B
- Hepatitis C
- Human Papilloma Virus (HPV or Genital Warts)
- Syphilis

**About HIV & STI's**

Not all sex has the same risk. Depending of the kind of sex you're having, you could be more or less at risk for a number of STI's, including HIV. The chart below can help you determine which sexual activities put you at risk.

SEXUAL ACTIVITIES	HIV	Chlamydia	Herpes	Gonorrhea	Hepatitis A	Hepatitis B	Hepatitis C	HPV / Genital Warts	Syphilis
Kissing / Spit Swapping									
Hand Job / Mutual Masturbation									
Body Contact / Naked Grinding									
Blow Job / Oral Sex									
Rimming									
Anal Sex without a Condom									
Anal Sex with a Condom									
Anal Sex with PrEP or TaSP/ U=U									

This chart attempts to simplify HIV and STI transmission, but is by no means exhaustive. For more detailed information on HIV and STIs, including how to reduce your risk, please explore the sections on the left-hand side of this page.


**CMS**

WordPress 4.7.4

**Analytics**

Google Analytics

**Blog**

WordPress 4.7.4

**JavaScript Framework**

jQuery 1.6.2

jQuery Migrate 1.4.1

**Font Script**

Cufon

**Programming Language**

PHP

### 3.1.6 PN6 – Let them know

Website with FAQs for partner notification and examples of conversations, emails, text messages (SMS) or letters that can be used in informing partners with online SMS or email options, either personally or anonymously, and the possibility to ask healthcare providers for assistance.

Review Code	Name	Type of Tool	Access to Tool	Adaptable	Reproducible	Data Relevance
PN6	Let Them Know	<a href="http://www.letthemknow.org.au/LTK.html">http://www.letthemknow.org.au/LTK.html</a>	Website	5	5	4

Key features:

- Website that allows a patient to inform a partner via SMS or email, either anonymously or by revealing their name. There also templates for a letter and tips on notifying the partner personally (in person or via telephone).


### Ways to Let Them Know

**Before you Send an SMS, email or a letter to your partner**

Consider if this is really the best way to contact your partner. Remember, most people like to be told in person. Think whether anyone, apart from your partner, could read the SMS, email or letter. If yes, use an alternative method. You can send a message directly from this site from the choices below.

#### WARNING:

**Please use this service for legitimate purpose and consider implications to the recipient. Under Australian law, the use of a telecommunication service to menace or harass is a criminal offence.**



#### SMS someone

If you have their mobile number you can send an SMS right now.




#### Tell someone

Some suggestions and a video on how to talk to your partner.



#### Send an email

You can send an email from here if you have your partners email address.



#### Write a letter

Old school letter writing works as well right from here

## Sending an SMS

**Send an anonymous SMS**

Partner's name

Partner's mobile  \*

Notification ☒ Chlamydia  
☒ Gonorrhoea  
☐ Syphilis  
☐ Trichomonas  
☐ Mycoplasma genitalium

Your IP address

**Next**

**WARNING:**

Please use this service for legitimate purpose and consider implications to the recipient. Under Australian law, the use of a telecommunication service to menace or harass is a criminal offence. If potential misuse of this service is reported to police by a message recipient, the website provider will cooperate with a police investigation.

- The application can be used in all countries, but the SMS module works only for Australian phones.

### 3.1.7 PN7 – Don't Spread It

Website that allows to send anonymous email or text messages to tell partners that they have been exposed to STI. Partners receive a code that they use to sign in and retrieve their message, and have the opportunity to respond to the sender. Stand-alone tool that allows partners to send messages back to senders if desired.

Review Code	Name	Type of Tool	Access to Tool	Adaptable	Reproducible	Data Relevance
PN7	Don't Spread It	<a href="https://dontspreadit.com">https://dontspreadit.com</a>	Website	5	5	4


Key features:

- The users can create an account (email optional) and send a partner notification message to someone.
- They can choose the STDs/STIs they have been diagnosed with and then send either an email/phone number.



Let Them Know

New Message | Dontspreadit



[New Message](#)
[Help Center](#)
[About Us](#)
[Donate](#)

Alright! Account created.

New Message

Message Checklist

Sign in

Select one or more STDs

Enter email or phone number

Continue

### What STD/STI do you have?

Pick one or more ☒ from the list below.

Chlamydia	Human Papillomavirus (HPV)
Genital Warts	Molluscum Contagiosum
Gonorrhea	Pubic Lice (Crabs)
Herpes	Scabies
Hepatitis B	Syphilis
Hepatitis C	Trichomoniasis (Trich)
HIV & AIDS	

## Who do you want to inform?

Enter an email address  or phone number 




## Notification Created!

An email will be sent to [ckjun83@yahoo.com](mailto:ckjun83@yahoo.com) in a minute.

You can cancel the notification before it's sent, or any time after and we'll send a follow up message informing them it was a mistake.



- Partners receive an automated message with a unique code/link.

To whom it may concern,

A past sexual partner has sent you a message concerning your health.

Visit [dontspreadit.com/?s=366348](https://dontspreadit.com/?s=366348) to retrieve your message and, if you choose, write a reply to the sender. You can also view the message by visiting dontspreadit.com and manually entering your personalized code **366348**.

-----  
The Dontspreadit team  
support@dontspreadit.com

Find us on [Facebook](#) and [Twitter](#)

\*Please do not respond to this email\*

Dontspreadit.com is an anonymous notification service

[Please never send me an email again](#)

- Users can then visit the site, learn the STI(s) they have been exposed to and find a clinic nearby.

### Notification of STD/STI Exposure

**Immediate precautions to take**

Visit the [World Health Organization](#) site to learn more about STIs. (recommended)

**Getting tested** might be a good idea, or at least asking yourself "when was the last time I got tested?" Even if you feel there is only a slight chance you may have been exposed to a Sexually Transmitted Disease/Infection. It's common for some infections to show no symptoms, so the only way to know for sure is to get tested.

**Each year**, an estimated 500 million people acquire one of four sexually transmitted infections: chlamydia, gonorrhoea, syphilis and trichomoniasis. These four are generally curable with existing, effective single-dose regimens of antibiotics.

**Some good news:** many STIs are curable and can be easily treated. Testing kits can be found online and might be a good first step to take. See our [Help Center](#) for a list of support sites and [STD Check](#) for ordering testing kits.

We are an anonymous notification service and are inherently open to abuse, pranks and mistaken alerts. However, if you are being harassed with messages, please [contact us](#) or add your number/email to our [blacklist](#).

## You may have been exposed to

Syphilis

Time of exposure reported as 2 months ago

### Signs & Symptoms of Syphilis

Often syphilis has no symptoms or has such mild symptoms that a person doesn't notice them. However, there are several stages of Syphilis, with symptoms varying at each stage, and they may not occur in the same order.

**Primary Stage** — A painless sore or open, wet ulcer, which is called a chancre, appears. You may have just one chancre or a few. Chancres usually appear about three weeks after infection, but may take up to 90 days. Without treatment, they last 3-6 weeks. Chancres can appear on the genitals, in the vagina, on the cervix, lips, mouth, breasts, or anus. Swollen glands may also occur during the primary phase.

**Secondary Stage** — Other symptoms often appear 3-6 weeks after the sores appear. These syphilis symptoms may come and go for up to two years. They include body rashes that last 2-6 weeks — often on the palms of the hands and the soles of the feet. There are many other symptoms, including mild fever, fatigue, sore throat, hair loss, weight loss, swollen glands, headache, and muscle pains.

**Late Stage** — One out of three people who have syphilis that is not treated suffer serious damage to the nervous system, heart, brain, or other organs, and death may result. This can occur 1-20 years after the start of the infection.

[Learn more about Syphilis](#) (Planned Parenthood)

## Find a Clinic

Searching for local clinics is delegated to [gettested.cdc.gov](https://gettested.cdc.gov), an affiliate website of the [Center for Disease Control and Prevention \(CDC\)](#). Submitting this form with a valid zip code will redirect you to their site with the search results.

Enter a zip code

## GetTested

National HIV, STD, and Hepatitis Testing

[Find Testing Locations](#)
[FAQs](#)

[Home](#) » [Search Results](#) | Find Free, Fast, and Confidential Testing Near You

### Find Free, Fast, and Confidential Testing Near You

Modify Your Search



### Not Sure What Test You Need?

Answer a few questions and we'll help you.

What is your gender? 

☒ Male

☐ Female

☐ Transgender

Showing 35 Testing Location(s) near 55133 within 10 miles

[List your organization on this site](#)

#### Filter Results

HIV TESTS (35)

STD TESTS (25)

HEPATITIS TESTS (16)

VACCINES (23)

DISTANCE



#### 1 Saint Paul Ramsey County Public Health Clinic 555 Sexual Health Services

555 Cedar St  
Rm 111  
Saint Paul, MN 55101  
United States  
651-266-1255

Services Offered:


- Chlamydia Test
- Conventional HIV Blood Test
- Free Hepatitis B Test
- Free Hepatitis C Test
- Gonorrhea Test
- Hepatitis A Vaccine
- Hepatitis B Vaccine
- Hepatitis C Vaccine
- Herpes Test
- HPV Vaccine
- Rapid HIV Blood Test
- Syphilis Test

#### 2 West Side Community Health Services West Side Health Center La Clinica

153 Cesar Chavez St  
Saint Paul, MN 55107  
United States  
651-222-1816

Services Offered:

- Chlamydia Test
- Conventional HIV Blood Test
- Free HIV Test
- Gonorrhea Test
- Hepatitis B Test
- Hepatitis B Vaccine
- Hepatitis C Test
- Herpes Test



- There is an option allowing to cancel the notification, in which case another email/sms is sent informing partners that there has been a mistake.


## 4. Proposal for the 'Integrate ICT Tool(s)'

After an evaluation of the seven shortlisted ICT tools and further discussions between WP7 lead partners and CERTH, an initial proposal for the adaptation/development of the 'Integrate ICT Tool(s)' was made by CERTH, by assembling the features that were rated as the most useful for the purpose of combination prevention and ensure they cover other all the diseases areas and/or priority groups (i.e. MSM, PUD, SW, migrants) and other populations (youth, prisoners).

The proposal takes into account the existing tools/paradigms and their strengths, weaknesses and effectiveness as a starting point and foresees their integration and adaptation in order to address the different information and prevention aspects of the four disease areas.

### 4.1 Integrate Mapping Scheme

The Figure below illustrates the rationale of the proposal, which aims to provide a common framework for the tool(s) that will be employed targeting all the diseases of interest for Integrate.




### 4.2 The 'Integrate ICT Tool(s)'

The initial proposal foresees a website and/or mobile app offering an integrated toolkit, with different components that could be enabled according to the capacity and target per pilot site in the different countries that will be taking part in the pilots. The different components may consist of the following:

- An Information section with the basics for the different diseases (transmission modes, prevention, symptoms, treatments...).
- A Risk Calculator that allows users to assess if they have been exposed to the diseases. The underlying algorithms for each of the different diseases need to be acquired to complete this component.
- A PrEP Locator, that could be extended to the whole EU area.
- A Test Finder (as it already exists for HIV and some STIs, its connection with/inclusion in the Integrate ICT toolkit should be considered).
- Testing / Treatment / Check-up Visit Reminders, which are a feasible component.
- A Partner Notification tool, based on a combination of existing services.
- A specific TB component featuring information about transmission routes etc., in order to include also this disease that differs in many ways from STIs.

Once a final decision is taken with regard to the adaptation and development of the tool(s), other aspects to be considered are translations in the three languages spoken in the pilot countries (namely, Croatia, Italy and Lithuania) and the collection of specific information relative to each of the pilot countries that need to be incorporated in the PrEP Locator, Test Finder, etc., including the support (both in technical and organization terms) of the tool(s). Most of the tool components will be addressed to the vulnerable groups and the public, but some features could also support the work of healthcare providers and community health workers.

#### 4.2.1 Example of Landing Page



## 4.2.2 Example of the Risk Calculator component


**HOW OFTEN TO GET TESTED**
**TEST LOCATOR**
**PARTNER NOTIFICATION**
**RISK CALCULATOR**

---

### RISK CALCULATOR

Not all sex has the same risk. Your risk of picking up or passing on HIV depends on the kind of sex you have, your HIV status, your partner's HIV status and condom use. The guys at HIM believe you can have great sex and still reduce your risk by making smart, informed decisions. We're not going to tell you how to have sex, but we will offer some techniques for reducing the risk associated with the kind of sex you want to have.

**Know your risk**

- I'm a top
- I'm a bottom
- I'm a Versatile
- I'm in a Monogamous Relationship
- I'm in an Open Relationship
- I've Recently Become HIV positive
- I Like Variety, Lots of It
- I Pick Up Online a Lot
- I Use Drugs while Having Sex (PnP)
- I Have Sex without Condoms

**Reduce your risk**

- Use Condoms
- PrEP
- Get Tested
- Counselling
- Learn about PEP
- Sero-sorting: Poz or Neg?
- Strategic Positioning: Top or Bottom?
- TaSP/ U=U
- Learn about Viral Loads

**HIV SPECTRUM OF RISK**



**NO RISK OR VERY LOW RISK**

Kissing/ spit swapping, hand Job/mutual masturbation, receiving or giving oral sex with a condom, rimming with a dental dam. All sex while on PrEP, if used according to BC Centre for Excellence in HIV/AIDS guidelines. All sex with a partner who is undetectable and treatment adherent.

**LOW RISK**

Receiving oral sex with no condom and no ejaculation in mouth, giving oral sex with no condom and no ejaculation in mouth, rimming with no dental dam, anal sex where using a condom is your primary prevention method.

**MODERATE RISK**

Giving oral sex with ejaculation to a guy whose status is unknown or one partner is poz and has a detectable viral load. Condomless anal sex between two guys with detectable viral loads run the risk of them acquiring a different strain of HIV.

**HIGH RISK**

Anal sex (topping) without condoms or PrEP with a guy whose status is unknown or has a detectable viral load.

**VERY HIGH RISK**

Anal sex (bottoming) without a condom or PrEP with a guy whose status is unknown or has a detectable viral load.

**HIV RISK CALCULATOR**

1. What kind of sex are you having?

Getting sucked	Sucking	Rimming
Topping		Bottoming

2. Are you?

HIV Negative	HIV Positive
--------------	--------------

3. Your partner is?


HIV Negative	I am not sure
HIV Positive undetectable viral load	HIV Positive detectable or unknown viral load

4. What HIV Prevention tools are you using?


Condoms	PrEP
Treatment as Prevention (TaSP/ U=U)	None of the above

**CALCULATE HIV RISK**

### 4.2.3 Example of the Test Locator Component



### 4.2.4 Example of the Partner Notification Component



**Integrate** HOW OFTEN TO GET TESTED TEST LOCATOR PARTNER NOTIFICATION RISK CALCULATOR

#### PARTNER NOTIFICATION

Send an anonymous message

1. Partner's details

Name \*  
John

Email \*

+ Add

2. Select one or more STIs

☒ HIV ☐ Chlamydia ☐ Gonorrhoea ☐ Hepatitis B  
☐ TB ☐ Hepatitis C ☐ LGV ☐ Shigella  
☐ Hepatitis A ☐ Syphilis ☐ Non specific Urethritis (NSU)

3. Preview your message

Hi John,

You're receiving this email because someone you recently hooked up with has been diagnosed with HIV.

Please visit your nearest sexual health clinic or doctor for a STI check-up as soon as possible.  
 Visit ["test locator link"](#) for more information.

Please do not reply to this message.

Send

## 5. Assessment of the effectiveness of ICT Tools in combination prevention efforts

Unfortunately, it is not an easy task to find information regarding the effectiveness of existing ICT tools targeting the prevention of HIV, hepatitis, STIs and TB. In particular, no specific information about the effectiveness of the seven shortlisted tools was found by searching bibliographic databases or in the respective Web sites of the tools. In general, some indications can be derived by the number of web accesses in the landing page, or number of downloads; user ratings and reviews are also available. Such data do not give any precise indication about the usefulness of the tools: mobile apps are in many cases free of charge and they are often removed from smartphones right after the download, because people seeking information do not find what they are looking for. Most of all, there is practically no evidence of the actual occurrence of many of the actions that can possibly be taken as a result of the indications given by ICT tools - changes in behavior, access to testing services, linkage to care, improved adherence, partner notification – there is no way to measure the impact of the information provided.

Nonetheless, the issue of how to identify good quality web and smartphone apps on HIV and STIs has been studied recently, since they have the potential to be appealing sources of information for the prevention, testing and management of these diseases. For people who encounter barriers to care, such apps could also facilitate entry to and retention in the healthcare system. The studies brought to the publication of some reviews on the content and accuracy of apps for people seeking information in the field of HIV and STI, which can offer useful insight in view of the adaptation and development of a new ICT tool.

Among the others, two reviews conducted in the UK provide information which were found particularly interesting: one is about existing apps on HIV<sup>11</sup> and the other about apps on other STIs<sup>12</sup>. A summary of these studies is given in the following subsections.

### 5.1 A review of web and smartphone apps on HIV

The review, published in 2016, highlights the following issues:

- with regard to risk calculator components, the content and risk assessment questions often were not filtered depending on gender and sexual preference. While the need for direct language is necessary in asking people what kind of sexual activity they have performed, the questions could have been more tailored to the sexual orientation and preferences of the individual
- with regard to the functionality review, most of the apps available on the main app stores were underused, with a median of 100-500 downloads on Google play for all apps (the iTunes store does not reveal the number of downloads). The apps were not highly rated or reviewed. Only 11 apps had more than 5000 installs; but we know that many people uninstall apps after installing them, especially free apps
- with regard to the sources of information, in 63% of smartphone apps the source of information or links to healthcare professionals or medical evidence was unclear. There was therefore no way of assessing whether the information provided was reliable. Only 9% of the apps facilitated interaction with healthcare

---

11 Singh A. Gibbs J. Estcourt C. Sonnenberg P. Blandford A. Are HIV Smartphone Apps and Online Interventions Fit for Purpose? 2016

12 Gibbs J. ,Gkatzidou V.2 Tickle L. Manning S. Tilakkumar T. Hone K. Ashcroft R. Sonnenberg P. Sadiq T. Estcourt C. 'Can you recommend any good STI apps?' A review of content, accuracy and comprehensiveness of current mobile medical applications for STIs and related genital infections. 2017



professionals. In contrast, 97% of web-apps were from trusted sources such as known healthcare providers, charities and high street pharmacies

- from the users' perspective, the analysis of their reviews indicated the need for more functions specific to support, diagnosis and care of HIV and concerns specific to the functionality they needed. There was also concern around incorrect information, the source of information, and privacy and security of provided information. Frustrations were expressed around non-updating apps and content, non-working apps, lack of backups or offline mode and freezing or crashing apps.

The review findings have several implications for the design of apps in this space. They highlight the need for much more focus and commitment from both the technology perspective for designing higher quality, thoughtful technologies and from the health perspective to ensure reliable content.

## 5.2 A review of web and smartphone apps on STIs

The review, published in 2017, highlights the following issues:

- very few mobile apps would meet the needs of people seeking accurate information about sexual health issues and their management—and these apps were difficult to identify. In contrast, when searching on the internet using a standard search engine, the first websites that come up are those endorsed by the health institutions. No apps documented where information came from: users had no way of assessing the reliability of the information provided. Most apps fell far short of recognized quality standards
- although chlamydia, gonorrhoea, syphilis and genital warts were individually covered by approximately 40% of apps, only one app contained fully comprehensive, accurate information on chlamydia, UK's most common STI. Comprehensiveness of content was highly variable between apps and platforms. Most apps provided incomplete information on the parameters that they covered, and <20% provided fully comprehensive information on the STI/genital infections on which they focused
- similarly, accuracy of content was highly variable. Only a small proportion of apps contained completely accurate information, and almost one-third contained errors in more than one aspect of the information. The content of some apps was incorrect, stigmatizing and scaremongering

Sexual health remains a stigmatized area, and people may find information provided in app format particularly appealing from a privacy standpoint. However, many developers of content have not gone down the app route because users are not keen to download them on their phone. Instead, they have created content that uses responsive programming so that it can be accessed via Wi-Fi-enabled devices. The review concludes that there is a pressing need for high-quality, easily identifiable apps that address the most common STI conditions and health concerns.

Therefore, the task of developing (a) new ICT tool in the context of the Integrate project responds to the current need to provide people with up-to-date, reliable and comprehensive information about the four disease areas in their different aspects, ranging from basic initial information to disease management.



## 6. Conclusions

The number of people accessing health-related information online is increasing, as indicated by the increasing number of health-related app downloads. However, there is currently little evidence on the quality of information on HIV and other STI(s) available via online resources. In addition, new HIV diagnostic tests combined with advances in digital health provide new opportunities for people to self-sample, self-test and receive a diagnosis remote from traditional health care services. These advances need to be integrated with services (online or otherwise) to support people and link them to care.

Existing ICT tools for HIV, hepatitis, STIs and TB include prevention messages, results notification and improved treatment adherence/management to overcome barriers and enable retention in healthcare. In the scope of the Integrate Joint Action, by adapting existing ICT tools and piloting (a) new integrated tool(s) covering the four disease areas, it might be possible to explore and get evidence about the acceptance, usefulness and effectiveness of such tool(s).

The opportunity offered by the Integrate Joint Action is extremely promising, because it brings together a team of experts from the health sector, academia, technology field, civil society and affected groups. The joint collaboration of such a team has the competences and potential to identify among existing mobile technology the best features and support services suitable for adaptation, and to design pilot behavioural interventions with the purpose to evaluate their effectiveness in reducing the gaps in prevention, testing and care of the four disease areas.

Based on the interventions that will be developed, specific criteria will be defined to assess the effectiveness and the overall impact of ICT tools in combination prevention efforts. Given the shortcomings identified in the work carried out for this report, this is expected to be an important contribution of the Integrate Joint Action.

## **Appendix 1 – ICT tools evaluation**

See at the end of the report

## Consortium

### Croatia



Hrvatski Zavod za Javno  
Zdravstvo Croatian Institute  
of Public Health



Life Quality Improvement Association



Croatian association for HIV and viral  
hepatitis



ISKORAK

### Denmark



Region Hovedstaden / CHIP

### Estonia



Tervise Arengu  
Instituut  
National Institute for  
Health Development

### Greece



Centre for Research & Technology  
Hellas, Institute of Applied  
Biosciences, Information  
Technologies institute



Hellenic Centre for  
Disease Control and  
Prevention

### Hungary



Semmelweis  
University

### Ireland



University College Dublin,  
National university of  
Ireland Dublin

### Italy



[Arcigay Associazione LGBTI Italiana](#)



Croce Rossa Italiana



Fondazione LILA Milano ONLUS -  
Lega Italiana per la Lotta contro l'AIDS



Fondazione Villa Maraini Onlus

### Lithuania



National Public  
Health Surveillance  
Laboratory



VILNIUS  
CENTRE FOR ADDICTIVE  
DISORDERS Vilnius Centre for Addictive  
Disorders



Centre for Communicable Diseases  
and AIDS



Vilnius University Hospital  
SANTARIŠKIŲ Klinikos

### Malta



Health Promotion and  
Disease Prevention

### Poland



National AIDS Centre  
Agency of the Ministry  
of Health

### Romania



"Victor Babes" Clinical hospital  
of infectious diseases and  
pneumophtisiology Craiova



"Marius Nasta"  
Institute of pneumoftiziology



Institut of Public  
Health of Republic  
of Serbia  
"Dr Milan Jovanovic  
Batut"

### Slovakia



Slovak Medical University in  
Bratislava

### Slovenia



National Institute of  
Public Health Nacionalni  
inštitut za javno zdravje

### Spain



Centre d'Estudis  
Epidemiològics sobre les  
ITS i Sida de Catalunya



Consorci Institut  
d'Investigacions Biomèdicas  
August Pi i Sunyer



Instituto de salud pública y laboral  
de Navarra

### United Kingdom



Public Health England

## Introduction

This is an evaluation of the candidate ICT tools that are being considered for adaptation/reproduction for INTEGRATE's pilots. It is an overview from a technical standpoint, where 3 main criteria are used (on a scale from 1 to 5):

- **Adaptable:** Should the code of the tool is shared/open to adapt, how easy it is to add new features, bring the code up-to-date etc (5: high adaptability)
- **Reproducible:** How easy it would be to replicate the tool through own resources (no original code provided). A score of 5 means that we can reproduce the ICT tool with ease.
- **Data Relevance:** Are the data that are used in each tool relevant/applicable to the JA's objectives? For example, information on HIV testing clinics in the USA are not useful for the EU-based INTEGRATE pilots. (5: data can be used without any modifications)


## Harm Reduction (HR) Tools

### HR1 - Chemsex Care Plan


Review Code	Name	Type of Tool	Access to Tool	Adaptable	Reproducible	Data Relevance
HR1	Chemsex Care Plan	<a href="http://www.davidstuart.org/care-plan">http://www.davidstuart.org/care-plan</a>	Website	5	5	5




- “Interactive” Website: “**Create own care plan**”
  - The user chooses a goal (abstinence, safer practices etc) and answers questions about his habits, lifestyle and perceived confidence in achieving his chosen goal
  - According to the answers, the user is lead to pages with extensive information on how to achieve the goal, Youtube videos of David Stuart discussing particular topics and related links to useful websites and apps (for example the <https://www.kitestring.io/> app so that a friend can check up on the user in case they are in a compromising position)
- The site is available in many languages (English, Chinese, Croatian, Dutch, French, German, Greek, Portuguese (Brazil), Russian, Ukranian, Spanish, Portuguese (European), Hebrew, Italian, Swedish, Slovenian, Korean, Polish)


**Wappalyzer**






**Analytics**

-  Google Analytics


**Font Script**

-  Google Font API

**JavaScript Framework**

-  Backbone.js
-  Modernizr 2.0.6
-  RequireJS 1.0.8
-  Underscore.js
-  jQuery 1.8.3



**Web Framework**


-  Bootstrap

## Linkage to Care Tools

### LtC1 – Know Your Health



Review Code	Name	Type of Tool	Access to Tool	Adaptable	Reproducible	Data Relevance
LtC1	Know Your Health	<a href="https://play.google.com/store/apps/details?id=com.dendronet.ryanetwork">https://play.google.com/store/apps/details?id=com.dendronet.ryanetwork</a>	Mobile Application	1	4	0









**Do you know your HIV status?**



*If you are sexually active, the Centers for Disease Control and Prevention (CDC) recommends that you be tested for HIV on a routine basis.*







- People who are infected with HIV and don't know it are not able to take advantage of the treatments that can keep them healthy and extend their lives.
- People who are infected and don't know they are may not take the steps necessary to protect their sex partners from becoming infected.
- Whatever your sexual orientation, and whether you are HIV negative or positive, you have the power to lead a healthy life! It's up to you to make choices about your health, and getting tested for HIV is one of them. We want

- Mobile Application from Ryan Network targeted at teens/YA



- Provides information (location, operating hours etc) about the 5 community health centres in Manhattan that provide testing services and linkage to care.
- Easily accessible call button for each center or for the Ryan Network call center
- Most Important Feature: **Locator for the Mobile Van** -does not work at the moment-



## LtC2 – HIV Testing Sites & Care Locator

Review Code	Name	Type of Tool	Access to Tool	Adapt able	Reprod ucible	Data Relevance
LtC2	HIV Testing Sites & Care Locator	<a href="https://locator.aids.gov/data-how-to.html">https://locator.aids.gov/data-how-to.html</a>	API	1	5	0

- The HIV/AIDS Prevention & Service Provider Locator is a location-based search tool for testing services, housing providers, health centers and other service providers. It also provides names and telephone numbers.
- Data available for the USA – **cannot use the API in the scope of INTEGRATE** -

The screenshot displays the HIV.gov locator tool interface. At the top, there is a search bar with the text "HIV TESTING & CARE SERVICES WITHIN 10 MILES OF 225 CENTRAL PARK WEST, NEW YORK, NY 1002". Below the search bar, a map of Manhattan is shown with various service icons (e.g., HIV Testing, Housing Assistance, Health Centers, Ryan White HIV Care, Mental Health, Substance Abuse) overlaid. To the right of the map, there is a sidebar with filters. The sidebar includes a "Click below to expand:" section with checkboxes for HIV Testing (220), Housing Assistance (20), Health Centers (290), Ryan White HIV Care (75), Mental Health (38), and Substance Abuse (106). Below this, there is a "Spoken Language:" section with checkboxes for English (749) and Español (203). At the bottom of the sidebar, there are buttons for "Available on the App Store" and "ANDROID APP ON Google play", along with a "Privacy Policy" link.

## Partner Notification Tools

### PN1 – CheckOUT

Review Code	Name	Type of Tool	Access to Tool	Adapt able	Reprod ucible	Data Relevance
PN1	CheckOUT	<a href="http://www.checkpointlx.com">http://www.checkpointlx.com</a>	Website Private	5	4	5

- Partner Notification portal accessible to clients of the checkpoint
- Login given by the service
- After clients input partners' contact # or emails, system automatically messages partners, without requesting any I.D. data of pts and automatically deletes partner info after messages are sent
- Private Online Access – **could not evaluate** –

### PN2 – SXT


Review Code	Name	Type of Tool	Access to Tool	Adapt able	Reprod ucible	Data Relevance
PN2	SXT	<a href="http://sxt.org.uk">sxt.org.uk</a>	Website	0	2	4

- Private Online Access – **could not evaluate** –
- **The service requires a fee**
- The process is quick and simple, no patient data stored

Rachel - Someone diagnosed with a sexually transmitted infection has named you as a sex partner. For details of the infection and where to get tested go to [sxt.com/pn/](http://sxt.com/pn/)  
Sent via SXT

SXT is working with NHS sexual health clinics to reduce the spread of infections in the UK.





### 1. Partner Notification

- Step 1: Select STI diagnosed and partner(s) to be notified
- Step 2: Fill in details and send notifications
- Step 3: Provide basic patient demographics for statistics

### 2. Partner Verification

- Step 1: Partner arrives with a code. Clinic enters it into the system to view STI details and confirms attendance
- Step 2: The system records that the partner has attended the clinic and it will be reflected in the patient's clinic account
- Step 3: Originating clinic can see statistics and PN KPI

## PN3 – Partner Waarschuwing (Man to Man)

Review Code	Name	Type of Tool	Access to Tool	Adapt able	Reprod u cible	Data Relevance
PN3	Partner Waarschuwing (Man to Man)	<a href="https://partnerwaarschuwing.nl/">https://partnerwaarschuwing.nl/</a>	Website	3	5	3

**PARTNER WAARSCHUWING**

why warn? how do I tell it? what is an STI? who are we? Professionals

### SEND OR VIEW YOUR STI ALERT & INFORMATION, TIPS AND MOVIES

Warn someone or have you been warned? Enter your code here

**START >**

Partners can also warn **anonymously**. Partnerwaarschuwing.nl handles your data carefully and confidentially, see the [privacy policy](#).

**GGD** **SENSE** THUISARTS.NL **SOAIDS**

**CHECK HERE HOW IT WORKS**

- Website dedicated to partner notification for STIs
- Professional issues a code
- The patient enters the code in the website and notifies partners anonymously (online warning module)
- Notified person can also visit the website and enter the code they have received
- The website contains information on how to notify a person, scripts on what they can say and videos demonstrating the partner notification scenario

PARTNER  
WAARSCHUWING

[why warn?](#)
[how do I tell it?](#)
[what is an STI?](#)
[who are we?](#)
[Professionals](#)

## HOW DO I TELL MY (EX-) PARTNER?

It is important to warn your sex partners of the past period, both your steady partner, your former partner (s) and other sex contacts. But how do you do that?

- tell it personally: face-to-face or on the phone
- via SMS or via WhatsApp
- via the warning module of this website. Use the code you received from the GP or STD clinic.

### WHETHER OR NOT ANONYMOUS?

People are more likely to be personally warned than anonymous. But the most important thing is that they are warned. They would rather be warned anonymously than not be warned.

### BE QUICK

Warn as soon as possible! Because it is important that the other person can get tested as quickly as possible and if necessary get a treatment.

### WHO SHOULD WARN YOU?

Warn not only your current sex partners, but also your ex-partners and other sex contacts. They can also have the STD and pass it on to their partners unnoticed. By warning your sex partners, you help prevent further spread of STDs.

Consult with the doctor or nurse about which period you should warn. Usually it is only the sex partners of the last 6 months. Sometimes sex partners from a long time ago also have to be warned. This depends on the STI you have and whether you have symptoms.

### TIPS FOR PERSONAL WARNING

Make a plan:

- How do I tell it, when and where? For example: 'I'm going to text my ex tonight or I'll call my friend this afternoon during the lunch break.'
- Think of your opening sentence, for example: 'Come and sit down, I have to tell you something. I let myself be tested and ...'
- Consider what you want to tell in any case.

**Patient 1**  
from Partnerwaarschuwing

03:07

1. How do I tell my partner?

**Patient 2**  
from Partnerwaarschuwing

03:59

2. How do I tell my ex?

**Patient 3**  
from Partnerwaarschuwing

04:20

3. How do I tell if I am cheating?

**Patient 4**  
from Partnerwaarschuwing

- Healthcare professionals can log into the website via a special link and access information, tools like the online warning module (create a code for a patient)

**Wappalyzer**

**CMS**

- Drupal** 7

**Analytics**

- Piwik**
- New Relic**

**JavaScript Framework**

- jQuery** 2.0.1
- Backbone.js** 1.0.0
- Lo-dash** 1.4.4
- Underscore.js** 1.4.4

**Web Framework**


- Bootstrap** 3.1.1

**Programming Language**


## PN4 – InSpot

Review Code	Name	Type of Tool	Access to Tool	Adapt able	Reprod ucible	Data Relevance
PN4	InSpot	http://www.inspot.org/	Website	4	5	4

### Website for Partner Notification



- User chooses an e-card, language, region and inputs text and contact info to send an anonymous message to a partner



- The user can also find information on STIs
- The user can also use a clickable map to locate a clinic near her
- The application works only for the USA

The screenshot shows the Wappalyzer interface with a dark purple header. Below the header, there are six categories of detected technologies arranged in a 3x2 grid:

- CMS:** DNN true
- Web Framework:** Microsoft ASP.NET 2.0.50727
- Analytics:** Google Analytics
- Web Server:** IIS IIS 7.5
- JavaScript Framework:** jQuery 1.3.2
- Operating System:** Windows Server

#### PN5 – So They Can Know

Review Code	Name	Type of Tool	Access to Tool	Adapt able	Reprod ucible	Data Relevance
PN5	So They Can Know	sotheycanknow.org	Website	-	-	-

Link doesn't work

#### PN6 – Let them know

Review Code	Name	Type of Tool	Access to Tool	Adapt able	Reprod ucible	Data Relevance
PN6	Let Them Know	http://www.letthemknow.org.au/LTK.html	Website	5	5	4

Website that allows a patient to inform a partner via SMS or email, either anonymously or by revealing their name. There also templates for a letter and tips on notifying the partner personally (in person or via telephone).




## Ways to Let Them Know

Before you Send an SMS, email or a letter to your partner

Consider if this is really the best way to contact your partner. Remember, most people like to be told in person. Think whether anyone, apart from your partner, could read the SMS, email or letter. If yes, use an alternative method. You can send a message directly from this site from the choices below.

### WARNING:

Please use this service for legitimate purpose and consider implications to the recipient. Under Australian law, the use of a telecommunication service to menace or harass is a criminal offence.



### SMS someone

If you have their mobile number you can send an SMS right now.



### Tell someone

Some suggestions and a video on how to talk to your partner.



### Send an email

You can send an email from here if you have your partners email address.



### Write a letter

Old school letter writing works as well right from here

## Sending an SMS

### Send an anonymous SMS

Partner's name

Partner's mobile

\*

Notification

- ✓ Chlamydia
- Gonorrhoea
- Syphilis
- Trichomonas
- Mycoplasma genitalium

Your IP address

Next

### WARNING:

Please use this service for legitimate purpose and consider implications to the recipient. Under Australian law, the use of a telecommunication service to menace or harass is a criminal offence. If potential misuse of this service is reported to police by a message recipient, the website provider will cooperate with a police investigation.

The application can be used in all countries, but the SMS module works only for Australian phones.



## PN7 – Don't Spread It

Review Code	Name	Type of Tool	Access to Tool	Adapt able	Reprod ucible	Data Relevance
PN7	Don't Spread It	<a href="https://dontspreadit.com">https://dontspreadit.com</a>	Website	5	5	4

- The user can create an account (email optional) and send a partner notification message to someone.
- He can choose the STDs/STIs he has been diagnosed with and then send either an email/phone number

Let Them Know

New Message | Dontspreadit

[New Message](#) [Help Center](#) [About Us](#) [Donate](#) [Account](#)

Alright! Account created.

New Message

Message Checklist


Sign in

Select one or more STDs

Enter email or phone number

Continue

What STD/STI do you have?

Pick one or more  from the list below.

Chlamydia

Genital Warts

Gonorrhea

Herpes

Hepatitis B

Hepatitis C

HIV & AIDS

Human Papillomavirus (HPV)

Molluscum Contagiosum

Pubic Lice (Crabs)

Scabies

Syphilis

Trichomoniasis (Trich)

## Who do you want to inform?

Enter an email address  or phone number 

# Notification Created!

An email will be sent to [ckjun83@yahoo.com](mailto:ckjun83@yahoo.com) in a minute.

You can cancel the notification before it's sent, or any time after and we'll send a follow up message informing them it was a mistake.

[View your notifications](#)

- The partner receives an automated message with a unique code/link

To whom it may concern,

A past sexual partner has sent you a message concerning your health.

Visit [dontspreadit.com/?s=366348](https://dontspreadit.com/?s=366348) to retrieve your message and, if you choose, write a reply to the sender. You can also view the message by visiting [dontspreadit.com](https://dontspreadit.com) and manually entering your personalized code **366348**.

The Dontspreadit team  
[support@dontspreadit.com](mailto:support@dontspreadit.com)

Find us on [Facebook](#) and [Twitter](#)

\*Please do not respond to this email\*

Dontspreadit.com is an anonymous notification service

[Please never send me an email again](#)

- The user can then visit the site and see the STIs she has been exposed to and find a clinic nearby

## Notification of STD/STI Exposure

### Immediate precautions to take

Visit the [World Health Organization](#) site to learn more about STIs. (recommended)

Getting tested might be a good idea, or at least asking yourself "when was the last time I got tested?" Even if you feel there is only a slight chance you may have been exposed to a Sexually Transmitted Disease/Infection. It's common for some infections to show no symptoms, so the only way to know for sure is to get tested.

Each year, an estimated 500 million people acquire one of four sexually transmitted infections: chlamydia, gonorrhea, syphilis and trichomoniasis. These four are generally curable with existing, effective single-dose regimens of antibiotics.

Some good news: many STIs are curable and can be easily treated. Testing kits can be found online and might be a good first step to take. See our [Help Center](#) for a list of support sites and [STD Check](#) for ordering testing kits.

We are an anonymous notification service and are inherently open to abuse, pranks and mistaken alerts. However, if you are being harassed with messages, please [contact us](#) or add your number/email to our [blacklist](#).

### You may have been exposed to

#### Syphilis

Time of exposure reported as 2 months ago

#### Signs & Symptoms of Syphilis

Often syphilis has no symptoms or has such mild symptoms that a person doesn't notice them. However, there are several stages of Syphilis, with symptoms varying at each stage, and they may not occur in the same order.

**Primary Stage** — A painless sore or open, wet ulcer, which is called a chancre, appears. You may have just one chancre or a few. Chancres usually appear about three weeks after infection, but may take up to 90 days. Without treatment, they last 3-6 weeks. Chancres can appear on the genitals, in the vagina, on the cervix, lips, mouth, breasts, or anus. Swollen glands may also occur during the primary phase.

**Secondary Stage** — Other symptoms often appear 3-6 weeks after the sores appear. These syphilis symptoms may come and go for up to two years. They include body rashes that last 2-6 weeks — often on the palms of the hands and the soles of the feet. There are many other symptoms, including mild fever, fatigue, sore throat, hair loss, weight loss, swollen glands, headache, and muscle pains.

**Late Stage** — One out of three people who have syphilis that is not treated suffer serious damage to the nervous system, heart, brain, or other organs, and death may result. This can occur 1-20 years after the start of the infection.

[Learn more about Syphilis](#) (Planned Parenthood)

### Find a Clinic

Searching for local clinics is delegated to [gettested.cdc.gov](https://gettested.cdc.gov), an affiliate website of the Center for Disease Control and Prevention (CDC). Submitting this form with a valid zip code will redirect you to their site with the search results.

Enter a zip code

Zip code

Search



## GetTested

National HIV, STD, and Hepatitis Testing

Find Testing Locations

FAQs

Home » Search Results | Find Free, Fast, and Confidential Testing Near You

### Find Free, Fast, and Confidential Testing Near You


Modify Your Search

55133

Search

### Not Sure What Test You Need?

Answer a few questions and we'll help you.

What is your gender? 

☒ Male

☐ Female

☐ Transgender

Next

Showing 35 Testing Location(s) near 55133 within 10 miles

List your organization on this site

**Filter Results**

HIV TESTS (35)

STD TESTS (25)

HEPATITIS TESTS (16)

VACCINES (23)

DISTANCE

Filter Reset

**1 Saint Paul Ramsey County Public Health Clinic 555 Sexual Health Services**

555 Cedar St  
Rm 111  
Saint Paul, MN 55101  
United States  
651-266-1255

**Services Offered:**


- Chlamydia Test
- Conventional HIV Blood Test
- Free Hepatitis B Test
- Free Hepatitis C Test
- Gonorrhea Test
- Hepatitis A Vaccine
- Hepatitis B Test
- Hepatitis B Vaccine
- Hepatitis C Test
- Herpes Test
- HPV Vaccine
- Rapid HIV Blood Test
- Syphilis Test

**2 West Side Community Health Services West Side Health Center La Clinica**

153 Cesar Chavez St  
Saint Paul, MN 55107  
United States  
651-222-1816

**Services Offered:**

- Chlamydia Test
- Conventional HIV Blood Test
- Free HIV Test
- Gonorrhea Test
- Hepatitis B Test
- Hepatitis B Vaccine
- Hepatitis C Test
- Herpes Test



- There is an option to cancel the notification, in which case another email/sms is sent that informs the partner that there has been a mistake

### PN8 – InSpot (paper on PLOSmedicine)

Review Code	Name	Type of Tool	Access to Tool	Adapt able	Reprod ucible	Data Relevance
PN8	InSpot (paper on PLOSmedicine)	<a href="http://journals.plos.org/plosmedicine/article?id=10.1371/journal.pmed.0050213">http://journals.plos.org/plosmedicine/article?id=10.1371/journal.pmed.0050213</a>	Paper	-	-	-

- Paper on PN4 tool

## PrEP Tools

### PrEP1 – PrEP in Europe

Review Code	Name	Type of Tool	Access to Tool	Adapt able	Reprod ucible	Data Relevance
PrEP1	PrEP in Europe	<a href="http://www.prepineurope.org/en/who-is-the-prep-in-europe-initiative/">http://www.prepineurope.org/en/who-is-the-prep-in-europe-initiative/</a>	Website	5	5	5

Website that offers information about PrEP and tips on how to get PrEP in various EU countries

[Home](#) > [How do I get PrEP](#)

## How do I get PrEP



How do I get PrEP through my National Health Service


How do I get PrEP through a trial

Buying it online

### PrEP2 – PrEP Locator

Review Code	Name	Type of Tool	Access to Tool	Adapt able	Reprod ucible	Data Relevance
PrEP2	PrEP Locator	<a href="https://preplocator.org/">https://preplocator.org/</a>	Website	5	5	0

- Website that shows information on PrEP providers depending on location – **available only in the USA** -



There is also a widget that can be added to other websites as well as an API

## Publicly Available Tools

### Adding the PrEP Locator Widget to Your Site

The PrEP Locator provides a map-based widget that can be embedded on your site. It is 1265 pixels wide by 810 pixels high.

Copy the [prelocator.org](https://prelocator.org) widget code:

```
<iframe width="1265" height="810" src="https://prelocator.org/prep-widget/" frameborder="0" allowfullscreen></iframe>
```

### API

For API access, please download [NPIN's Organization API Endpoint documentation here](#).



### PrEP3 – PrEP Facts: Rethinking HIV Prevention and Sex

Review Code	Name	Type of Tool	Access to Tool	Adapt able	Reprod ucible	Data Relevance
PrEP3	PrEP Facts: Rethinking HIV Prevention and Sex	<a href="https://www.facebook.com/groups/PrEPFacts/">https://www.facebook.com/groups/PrEPFacts/</a>	Facebook Group	5	5	5

Facebook closed group for PrEP discussions and information

### PrEP4 – PrEP in Europe (FB Group)

Review Code	Name	Type of Tool	Access to Tool	Adapt able	Reprod ucible	Data Relevance
PrEP3	PrEP Facts: Rethinking HIV Prevention and Sex	<a href="https://www.facebook.com/groups/PrEPinEurope/">https://www.facebook.com/groups/PrEPinEurope/</a>	Facebook Group	5	5	5

Facebook closed group for PrEP discussions and information

## Prevention Tools

### PRV1 – Hornet Health Starter Kit

Review Code	Name	Type of Tool	Access to Tool	Adapt able	Reprod ucible	Data Relevance
PRV1	Hornet Health Starter Kit	<a href="https://hornet.com/stories/hornet-health-starter-kit/">https://hornet.com/stories/hornet-health-starter-kit/</a>	Website	5	5	2

Website that provides Information on HIV prevention and treatment, PEP, PrEP, sexual health, mental health, healthcare etc

### PRV2 – 56 Dean Street Let's Get to Zero

Review Code	Name	Type of Tool	Access to Tool	Adapt able	Reprod ucible	Data Relevance
PRV2	56 Dean Street Let's Get to Zero	<a href="http://dean.st/zero/">http://dean.st/zero/</a>	Website	5	5	5

- Website available in 4 languages : English, Spanish, Italian, Portuguese

**Plan Zero**

---

**HIV is falling in London's gay men.  
We can get it to ZERO.**

We have finally found the tools to beat HIV. We'll do it if we all act together. Take the test to find out which will work best for you.

**Start**

English Español Italiano Português

- Online “quiz” to find best solution for HIV prevention (safe practices, testing, PrEP,)

## Total Bareback

If you have condomless anal sex and take no precautions, you are at high risk of catching HIV. If you have HIV, it is important to know as soon as possible. There's still time for you to reduce the harm to your body.

**If you regularly have condomless anal sex without precautions, we recommend you test for HIV at least every 3 months.**

Some experts think that if there was ever a cure for HIV, it would most likely work in people who start HIV medicine in the very earliest stages of infection.



You'll be most infectious to others in the first couple of months after catching HIV. It's thought that half of the UK's HIV is caught from someone who has recently been infected. Starting treatment and controlling the HIV reduces the risk of passing the infection to others to practically zero.


In the first few weeks after catching HIV, you may feel unwell. You might develop flu like symptoms or a body rash. If that happens to you, come and see a doctor right away. Let us know you're feeling ill so that we can run special tests. We are here to help. Don't have sex until you've been given the all clear.

If you want to take a break from sex, why not explore our 'Wellbeing programme' events, there's also a list of gay off-scene groups with everything from creative writing to scuba diving.




Wappalyzer


### CMS

 WordPress

### Analytics

 Google Analytics

### Blog

 WordPress


### Font Script


 Font Awesome

### Web Framework

 Bootstrap 3.3.4

### Web Server


 Apache



PRV3 – The sex you want

Review Code	Name	Type of Tool	Access to Tool	Adapt able	Reprod ucible	Data Relevance
PRV3	The sex you want	<a href="http://thesexyouwant.ca">http://thesexyouwant.ca</a>	Website	5	5	5

- Website offering MSM information on prevention and testing





- SMS reminder for daily PrEP, daily HIV Treatment and Sexual Health Testing

## SET A REMINDER

When it comes to your sexual health, sticking to a schedule can be really important. But it can also be hard to remember to take your meds or to get tested when you're busy and distracted, or when you're feeling down.

Our text-message reminder tool is a great way to stay on top of your routines. Your personal information will remain private, and you can stop the service at any time.

(Looking to change or stop an existing reminder? Check out the [reminder tips](#) page.)



### USE THE TOOL BELOW TO SET A REMINDER:

What type of reminder would you like to receive?

-- Select --

How often do you want to get this reminder?

-- Select --

What time of day would be best? (Eastern Time)

1

00

PM

Phone number:

555 555 5555

☐ I agree to the [terms and conditions](#)

**SET A REMINDER**


- Bold and colourful graphical elements (comics style)
- Available in English and French





Wappalyzer


### CMS

 WordPress


### Analytics

 Google Analytics UA

### Blog

 WordPress

### Font Script

 Google Font API

 Typekit 1.19.2

### Programming Language


*php* PHP

### Tag Manager


 Google Tag Manager




Wappalyzer


 Google Analytics UA

### Blog

 WordPress

### JavaScript Framework

 Modernizr 2.7.1

 jQuery 1.12.4

 jQuery Migrate 1.4.1

### Programming Language

*php* PHP

### Tag Manager

 Google Tag Manager

## PRV4 – Slovenian "What you are looking for" app for MSM

Review Code	Name	Type of Tool	Access to Tool	Adapt able	Reprod ucible	Data Relevance
PRV4	Slovenian "What you are looking for" app for MSM	<a href="https://play.google.com/store/apps/details?id=com.appspotr.id_649131277743556318">https://play.google.com/store/apps/details?id=com.appspotr.id_649131277743556318</a>	Mobile Application	5	5	3

Testing process, testing terms, testing dates, testing reminders, chat with a consultant, HIV SOS line




- Mobile app for HIV testing that showcases the process of testing with pictures

## Potek testiranja



O svojih odgovorih se boš pogovoril s svetovalcem.



## Več o testiranju

### Testiranje v skupnosti

Testiranje v skupnosti je namenjeno samo moškim, ki imajo spolne odnose z moškimi. Poteka na testirni točki Legebitre v Ljubljani, v klubih, savnah in občasno v regijskih središčih po Sloveniji.

### TERMINI TESTIRANJ

### Enostavno, zaupno in brezplačno

Za testiranje ne potrebuješ zdravstvene kartice. Dobil boš unikatno kodo, s katero prevzameš izvid.

Test je brezplačen.

Pred odvzemom krvi se zaupno pogovoriš s svetovalcem.

### Pet spolno prenosljivih okužb

Z odvzemom krvi, ki ga izvede usposobljen zdravstveni tehnik, ugotavljamo hiv, hepatitis B in C ter sifilis.

Z oralnim brisom (iz ust) ugotavljamo oralno gonorejo, z analnim brisom, ki si ga odvzameš sam, pa analno gonorejo.

### Kako pogosto na test?

Enkrat letno, če vedno seksaš s kondomi ali

## Termini testiranja

### Skupnostna testirna točka Trubarjeva

Kje?

DIC Legebitra, Trubarjeva 76a, Ljubljana

•		•		•		
•	•					
•		•		•	•	
•		•				
•		•				

**PON**  
**11** Testiranje na Legebitri  
11. junija @ 17:00 – 19:45

**SRE**  
**13** Testiranje v Slovenj Gradcu  
13. junija @ 17:00 – 19:00

**PET**  
**15** Testiranje v klubu Tiffany  
15. junija @ 23:00 – 2:00

## Opomnik za testiranje

### Prijava na opomnik

Na testiranje te bomo povabili 12 mesecev po zadnjem testu.

E-pošta \*


Kdaj si se  
nazadnje  
testiral?

pred 1 mesecem ▾

V kateri  
regiji živiš?

Osrednjesloven: ▾

Da, želim prejeti opomnik



Offline

Svetovalec je za klepet v živo dosegljiv v četrtek, med 12. in 18. uro. Lahko pa vneseš svoje vprašanje in e-mail že danes in odgovorili ti bomo.

\* Ime

\* E-pošta

\* Tvoje vprašanje

Oddaj

Powered by **tawk.to**



### PEPca / HIV SOS linija 24/7

#### **Si seksual brez kondoma, se je kondom poškodoval ali ti je sperma partnerja prišla v oči?**

V tem primeru ti je lahko na voljo PEP – postekspozicijska profilaksa oziroma zaščitno protiretrovirusno zdravljenje, ki lahko prepreči okužbo s hivom. Zdravljenje je potrebno začeti čimprej po morebitni izpostavitvi virusu, najbolje v 2 do 4 urah, ne pa kasneje od 72 ur.

Če pokličeš našo telefonsko številko, ki deluje vse dni v tednu, 24 ur na dan, ti bodo usposobljeni svetovalci nudili vse potrebne informacije v zvezi s PEP-om.


**070 36 16 96**

- Application is a bit slow to respond but well designed and easy to use

## PRV5 – German "I know what I want" / Ich weiss was Ich tu

Review Code	Name	Type of Tool	Access to Tool	Adapt able	Reprod ucible	Data Relevance
PRV5	German "I know what I want" / Ich weiss was Ich tu	<a href="https://www.iwwit.de">https://www.iwwit.de</a>	Website	5	5	3

- An online resource for MSM with information customized to the needs of users and national databases of places where to get services
- Knowledge Center provides information on living with HIV, safe sex, drugs, testing, STDs etc



- Test Finder for Germany



- List of consultation services per category (PRP, personal advice, testing) with map



## Projects on site

On our map you'll find local advice and services, such as PEPs, personal advice, and places to test for HIV and STDs. Enter your city or zip code directly and see offers near you.

CATEGORY ▾

PLZ

ORT




**RUSE**








 Drupal 7

 Bootstrap 3.3.6


### Analytics

 Piwik

### Web Server

 Apache 2.4.10

### JavaScript Framework

 jQuery 1.7.2


### Programming Language

 PHP

### Operating System

 Debian

- There is also a live chat option for MSM



**ICH WEISS WAS ICH TU**

**Questions about sex among men?**  
Gays advise you here

[NOW START LIVE CHAT >](#)



Wappalyzer

## CMS

---



Drupal 7

## Analytics

---



Piwik

## JavaScript Framework

---



jQuery 1.8.3



Modernizr 2.8.3

## Video Player

---



MediaElement.js 2.18.1

## Web Server

---



Apache

## Programming Language

---




PHP





## PRV6 – Men Only Tayside

Review Code	Name	Type of Tool	Access to Tool	Adapt able	Reprod ucible	Data Relevance
PRV6	Men Only Tayside	<a href="https://itunes.apple.com/us/app/men-only-tayside/id946323951?mt=8&amp;app=itunes&amp;ign-mpt=uo%3D4">https://itunes.apple.com/us/app/men-only-tayside/id946323951?mt=8&amp;app=itunes&amp;ign-mpt=uo%3D4</a>	Mobile App	5	5	3

- Info & advice for gay & bisexual men on where to get tested for HIV, Hepatitis B & STIs plus details of treatment & support available in Tayside
- Available for iOS and Android
- Easy to use
- A little too much text and repetitive UI






## PRV7 – Project Hard Hat

Review Code	Name	Type of Tool	Access to Tool	Adapt able	Reprod ucible	Data Relevance
PRV7	Project Hard Hat	<a href="https://itunes.apple.com/us/app/project-hard-hat/id1144613784?mt=8&amp;app=itunes&amp;ign-mpt=uo%3D4">https://itunes.apple.com/us/app/project-hard-hat/id1144613784?mt=8&amp;app=itunes&amp;ign-mpt=uo%3D4</a>	Mobile App	1	5	0

- Available for iOS and Android
- Project-specific app
- Info and map locator for project hard hat dispensers
- Services catalogue
- Events calendar
- Survey (link to surveymonkey on browser)
- UI not so good
- Free condoms order form (for a few US states)





## PRV8 – HIV Risk Meter

Review Code	Name	Type of Tool	Access to Tool	Adapt able	Reprod ucible	Data Relevance
PRV8	HIV Risk Meter	<a href="https://play.google.com/store/apps/details?id=com.arco.arco&amp;hl=en">https://play.google.com/store/apps/details?id=com.arco.arco&amp;hl=en</a>	Mobile App	2	3	0

- Risk meter for sexual activities, user answers questions and a risk factor is calculated (**currently does not work**)
- HIV test/condom availability sites per county (list view, map view)
- UI not good
- Hotline with info on open/closed status

**Hours of Operation**
Close

### Risk Meter

In what type of activity did you engage?

☐ Kissing  
☐ Hand job/mutual masturbation  
☐ Naked body contact/rubbing  
☐ Anal sex  
☐ Vaginal sex  
☐ Oral sex  
☐ Sharing needles

Is your partner:

☐ HIV Positive  
☐ HIV Negative

**The hotline is currently closed**


Our hours of operation are:

Open Monday - Friday, 9am to 5pm Eastern

Closed all weekends and major holidays  
Including: New Year's Day, MLK Day, President's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving, Christmas Day

Please reach us during our normal operating hours by calling:

**1-800-332-2437**



## PRV9 – HIV Risk Reduction Tool

Review Code	Name	Type of Tool	Access to Tool	Adapt able	Reprod ucible	Data Relevance
PRV9	HIV Risk Reduction Tool	<a href="https://wwwn.cdc.gov/hivrisk/estimator.html">https://wwwn.cdc.gov/hivrisk/estimator.html</a>	Website	4	4	4

- Risk calculator form CDC
- Information presented in interactive figures
- Test Finder
- Customisation options for partners (Male, Female, Transgender, HIV+/- etc)
- Youtube video showing how to use the tool
- We will need the algorithms for the risk evaluation to implement





Customize your content

Know the HIV Risk

What is HIV?

How do I know if I have HIV?

Can I get or transmit HIV from...?

What can increase HIV risk?

What can decrease HIV risk?

What are the best ways to decrease my chances of getting or transmitting HIV?

Find free, fast, & confidential HIV testing near you

Enter ZIP **GO >>**

Privacy | Accessibility | Disclaimer  
About | FOIA | Policies | No Fear Act | OIG



## Know the HIV Risk

Learn the HIV risk of different sexual activities when one partner is HIV positive and one partner is HIV negative (a discordant partnership)



**Person 1**

**Status** ☒ HIV - ☐ HIV +  
**Activity** Receptive anal sex  
**Factor** ☐ Condom No ☐ PrEP No ☐ STD No

**Person 2**

**Status** HIV+  
**Activity** -- Insertive anal sex --  
**Factor** ☐ Condom No ☐ ART No ☒ STD Yes ☐ Acute HIV No

**Risk of Getting HIV**  
 Receptive anal sex + STD is about 3 times riskier than Receptive anal sex





HIV TESTING & CARE SERVICES WITHIN 10 MILES OF ST PAUL, MN 55133, USA

Click below to expand:

- HIV Testing ☒
- Housing Assistance (7) ☒
- Health Centers (32) ☒
- Ryan White HIV Care (5) ☒
- Mental Health (2) ☒
- Substance Abuse (14) ☒

Spoken Language:

- English (60) ☒
- Español (0) ☒

Available on the App Store

ANDROID APP ON Google play

Privacy Policy

Google Analytics UA

SiteCatalyst

jQuery 1.11.3

jQuery UI 1.11.2

Lightbox

Bootstrap

Microsoft ASP.NET 50% sure

IIS 7.5

Windows Server

JavaScript Framework

Web Server

Operating System

Video Player

PRV10 – I want PrEP now

Review Code	Name	Type of Tool	Access to Tool	Adapt able	Reprod ucible	Data Relevance
PRV10	I want PrEP now	<a href="https://www.iwantprepnw.co.uk/nhs-prep-trial">https://www.iwantprepnw.co.uk/nhs-prep-trial</a>	Website	3	5	3

- Info on PrEP, how to take PrEP, where to buy PrEP
- Use can subscribe to mailing list about PrEP
- Information on how to buy PrEP online, list of trusted vendors



**I Want PrEP Now**

Home About PrEP PrEP on the NHS How to take PrEP Buy PrEP now PrEP mailing list Video Clips More

**PrEP on the NHS**


## PrEP Updates

Join our mailing list to keep up to date on PrEP.

Keep up to date on important PrEP developments.

Email Address

Click here



**I Want PrEP Now**

Home About PrEP PrEP on the NHS How to take PrEP Buy PrEP now PrEP mailing list Video Clips More

## Buy PrEP now

Where to buy genuine generic PrEP online now

We have identified the following companies who reliably sell genuine generic PrEP. For full details on our verification process including TDM results [click here](#)

**Preferred seller**

**Dynamix International** (£19 per month) [Buy Now](#)

You **do not** need to upload a prescription for orders to the UK.

Order to other countries may require a prescription.

Dynamix is our recommended seller. We have worked with the team behind Dynamix since August 2015.

Occasionally some orders will have an import tax imposed, this cost is the responsibility of the customer not IWP or Dynamix.

**Dynamix key services and procedures**

Sources drug directly from manufacturer straight to you. This ensures drug is genuine and therefore removes the need for ongoing TDM.


Provides a prompt and 'PrEP user' focused customer service. As we have a long standing relationship with the team behind Dynamix we are able to track your orders with them in the unlikely event of a delay or error.

Accepts card payments for all customers including MasterCard and Visa.

Can currently deliver to:

- United Kingdom
- Ireland
- United States
- Australia
- New Zealand
- Switzerland
- Belgium
- Israel
- Singapore
- Colombia
- Brazil
- Chile

For other European countries not listed please click on the European Union flag on the Dynamix homepage for



## PRV11 – Condom Pro

Review Code	Name	Type of Tool	Access to Tool	Adapt able	Reprod ucible	Data Relevance
PRV11	Condom Pro	<a href="https://itunes.apple.com/us/app/condom-pro/id436394146?mt=8">https://itunes.apple.com/us/app/condom-pro/id436394146?mt=8</a>	Mobile App	-	-	-



- Link to itunes doesn't work, app is not listed, cannot be found through search




## PRV12 – My Sex Doctor

Review Code	Name	Type of Tool	Access to Tool	Adapt able	Reprod ucible	Data Relevance
PRV12	My Sex Doctor	<a href="https://play.google.com/store/apps/details?id=com.msd.android.free">https://play.google.com/store/apps/details?id=com.msd.android.free</a>	Mobile App	3	5	2

- Reference point for teenagers and young adults seeking information about puberty, relationships, and sex to access at all times
- Available for iOS and Android
- User selects a topic of interest to read
- Dictionary of related terms
- Symptom checker for STDs
- Modern UI
- Text-heavy, too many screens





#### PRV13 – DADDYhunt App Webseries on MSM Health

Review Code	Name	Type of Tool	Access to Tool	Adapt able	Reprod ucible	Data Relevance
PRV13	DADDYhunt App Webseries on MSM Health	Website	<a href="https://www.daddyhuntapp.com/health">https://www.daddyhuntapp.com/health</a>	3	5	3


- Reference point for teenagers and young adults seeking information about puberty, relationships, and sex to access at all times



- Available for iOS and Android
- Daddyhunt created five public service announcements (PSAs) featuring the cast from the webseries, Daddyhunt: The Serial, talking about PrEP, comprehensive, periodic STD testing, condoms, having an undetectable viral load, and making informed choices



Daddyhunt and Building Healthy Online Communities (BHOC) created five public service announcements (PSAs) that feature the cast from the webseries, Daddyhunt: The Serial, talking about PrEP, comprehensive, periodic STD testing, condoms, having an undetectable viral load, and making informed choices. These PSAs will be released on this site, Facebook and YouTube over the next few weeks.



## PRV14 – UNDETECTABLES

Review Code	Name	Type of Tool	Access to Tool	Adapt able	Reprod ucible	Data Relevance
PRV14	UNDETECTABLES	Website	<a href="http://indetecables.es/">http://indetecables.es/</a>	2	2	3

- Spanish webseries on the prevention of HIV and STIs, but also on stigma, gender differences and other topics
- Artistic design
- Mainly videos and text



### Chapter 3: "The evidence"

Wappalyzer

**CMS**

WordPress

**Widget**

OWL Carousel

**Analytics**

Google Analytics UA

**Font Script**

Google Font API

**Web Framework**

animate.css

Bootstrap 3.3.5

**Web Server**

Apache

WordPress

**JavaScript Framework**

FancyBox

Underscore.js 1.8.3

jQuery 1.12.4

jQuery Migrate 1.4.1

prettyPhoto

Lo-dash 1.8.3

**Cache Tool**

WordPress Super Cache

**Programming Language**

PHP 5.6.36

### PRV15 – HIV Quiz

Review Code	Name	Type of Tool	Access to Tool	Adapt able	Reprod ucible	Data Relevance
PRV15	HIV Quiz	Mobile App	<a href="https://play.google.com/store/apps/details?id=com.hivquiz.ja.ponton&amp;hl=pl">https://play.google.com/store/apps/details?id=com.hivquiz.ja.ponton&amp;hl=pl</a>	-	-	-

- App not compatible with testing mobile
- With this application you will learn:

What are the possible routes of HIV infection.

What sexual activities are considered risky.

What other situations can lead to infection.

How can you prevent infection.

Fill out a short quiz and find out if it's worth a test for HIV in your case.


Thanks to the map in which the application is equipped, you can easily reach the nearest consultation and diagnostic point (PKD Points), where you can test HIV for free and anonymously. The test is virtually painless, and the result can often be picked up after 30 minutes.

This application is offered to you by Ponton Group of Sex Educators - we are a group of volunteers and volunteers operating at the Federation for Women and Family Planning. Our activities are primarily sex education and counseling for adolescents in matters of puberty, contraception and reproductive health.

## PRV16 – Liver Health - Hepatitis C

Review Code	Name	Type of Tool	Access to Tool	Adapt able	Reprod ucible	Data Relevance
PRV16	Liver Health - Hepatitis C	Mobile App	<a href="https://itunes.apple.com/us/app/liver-health-hepatitis-c/id901455284?mt=8">https://itunes.apple.com/us/app/liver-health-hepatitis-c/id901455284?mt=8</a>	4	5	4

- Available for iOS and Android
- Information about Hepatitis B and C
- Risk calculator
- Self Management Guide
- List of services
- List of support groups
- Nice UI
- Informative, simple



**Liver Health: Hep B & C** Back

Should I Get Tested for Hepatitis?

Q6. I have inhaled (snorted) drugs.

Yes

No

Not Sure ☒

Q7. I have HIV.

Yes

No

Not Sure ☒

Q8. I live with a person with hepatitis B.

Yes ☒

No

Not Sure

**SUBMIT**

**Liver Health: Hep B & C** Back

Should I Get Tested for Hepatitis?

Based on your responses, you should get tested for both Hep B and Hep C.

Learn what to do if you are [at risk for Hep B or Hep C](#).

Learn more about [Hep B](#).

Learn more about [Hep C](#).

**Liver Health: Hep B & C** Back

Alcohol Screening

Q1. Which of the following describes you?

Male

Female

Q2. Are you 65 years old or older?

Yes

No

Q3. How often do you have a drink containing alcohol?

Never

Monthly or less

2 to 4 times a month

2 to 3 times a week

4 or more times a week

Q4. How many [standard drinks](#) containing alcohol do you have on a day when you drink?

**SUBMIT**

**Liver Health: Hep B & C** Back

What to do Hep B

Find out if you are at risk

☐ Take the [hepatitis risk assessment](#).

If you are at risk

☐ Find a [Hep B test site](#).

☐ Get the Hep B test.

If you have Hep B

☐ Get into [Hep B medical care](#).


☐ Get a full Hep B medical evaluation.

☐ Get screened for liver cancer.

Protect your liver health

Take the [alcohol risk assessment](#). Reduce your alcohol use. It is safest for your health not to drink alcohol at all if you have Hep B. If you need help cutting down, speak with your doctor or contact [NYCWell](#) for counseling or a referral for treatment.

☐ Ask your doctor if it is safe to take over the counter medications, vitamins, herbs or supplements.







## PRV17 – YOUR ENDINGHIV TOOLKIT







Review Code	Name	Type of Tool	Access to Tool	Adapt able	Reprod ucible	Data Relevance
PRV17	YOUR ENDINGHIV TOOLKIT	Website	<a href="https://endinghiv.org.au/toolkit/">https://endinghiv.org.au/toolkit/</a>	4	5	4

- Interactive Website/Toolkit about:
  - How often user should be tested
  - Test Locator
  - Test Booking
  - Partner Notification
  - Risk Calculator
  - Reminders
  - Chat
- Simple and pleasant UI

# YOUR ENDING HIV TOOLKIT

To end HIV by 2020, it's critical we all start testing more regularly.  
Keep on top of your testing regime with these useful tools.

 <b>HOW OFTEN TO TEST</b>	 <b>WHERE TO GET TESTED</b>	 <b>BOOK A TEST</b>	 <b>LET THEM KNOW</b>
---	---	---	---

 <b>RECENTLY DIAGNOSED</b>	 <b>ASK US</b>	 <b>RISK CALCULATOR</b>	 <b>FIND FREE CONDOMS</b>	 <b>REMIND ME</b>	 <b>TALK TO EDDIE</b>
--	--	---	---	---	---

## HOW OFTEN SHOULD I TEST?

To maintain good sexual health and to help end HIV, we need to test more frequently. Find out how often you should test.

### WHAT'S YOUR HIV STATUS?

<b>?</b>	<b>-</b>	<b>+</b>
----------	----------	----------

### IN THE LAST 6 MONTHS, HOW MANY SEXUAL PARTNERS DID YOU HAVE?

<b>0</b>	<b>1</b>	<b>2-9</b>	<b>10+</b>
----------	----------	------------	------------

### TWO TO FOUR TIMES A YEAR

Based on your answers, you should be testing twice to four times a year, for both HIV and STIs.

You can get tested at GPs, sexual health clinics and community-based services such as a[TEST]. Find your closest testing location [here](#).

## WHERE TO GET TESTED

Find the nearest location where you can get tested for HIV and STIs using our tool below.

Search by town, postcode, or name

GO

Filter options:

- ☒ HIV and STI Test ☐ Rapid HIV Test ☒ a[TEST]  
☒ PrEP


A[TEST] KINGS CROSS

A[TEST] NEWTOWN

A[TEST] OXFORD STREET

A[TEST] SURRY HILLS

ALBION CENTRE



## TESTING HAS NEVER BEEN EASIER

Getting tested more often is good for your health, and can help our community end new HIV transmission. Take advantage of a[TEST], a fast, free and confidential rapid HIV and STI testing service for gay, bisexual and other men who have sex with men, regardless of HIV status including gender diverse people and anyone with a trans experience.

You can find a[TEST] in four locations across Sydney: Surry Hills, Oxford St (Darlinghurst), Newtown and Kings Cross.

Our peer educators (trained guys from our communities) and nursing staff always provide a friendly, welcoming and professional testing experience, and even better, your entire appointment will only take around 30 minutes, including getting the result of your rapid HIV test.

### What can I expect?

HIV Testing: Maxi Shield visits a[TEST]

## BOOK A TEST AT A[TEST]

Are you a man (cis or trans) who has sex with men?

☒ Yes ☐ No

a[TEST] is Rapid HIV & STI testing for gay men and other men who have sex with men.

Check OUT: LGBTIQ+ Sexual Health Clinic in Surry Hills provides free and confidential HIV/STI testing and cervical screening for all LGBTIQ+ people: [www.checkout.org.au](http://www.checkout.org.au)

For further information on general testing services, please contact Sydney Sexual Health Clinic on (02) 9382 7440 or visit [www.sshc.com.au](http://www.sshc.com.au)

You can also contact the NSW Sexual Health Infoline on freecall 1800 451 624.



## LET THEM KNOW

Had an STI recently and want to tell your partners?

Telling a guy you've contracted an STI might be a little uncomfortable, but if you don't, STIs can continue to be passed on. So, when you're letting your partner(s) know you've contracted an STI, you're helping them take charge of their health.

This tool enables you to anonymously inform your recent sexual partner(s) that they may have contracted an STI and that they should consider getting an STI test.

This is done via SMS or email and your details won't be provided so **your identity always remains anonymous**.

Please use this service appropriately and consider any implications to the recipient.

## SEND AN ANONYMOUS MESSAGE

Choose how to send your message

☒ Text message ☒ Email

## SEND AN ANONYMOUS MESSAGE

✕ RESET

### 1. Partner's details

1/5

c	cc@ff
<b>+ ADD ANOTHER</b>	

### 2. Select one or more STIs

<input checked="" type="checkbox"/> Chlamydia	<input type="checkbox"/> Gonorrhoea	<input type="checkbox"/> Hepatitis A
<input checked="" type="checkbox"/> Hepatitis B	<input type="checkbox"/> Hepatitis C	<input type="checkbox"/> LGV
<input type="checkbox"/> Non Specific Urethrititis (NSU)	<input type="checkbox"/> Syphilis	<input type="checkbox"/> Shigella

### 3. Preview your message

Hi c,

You're receiving this email because someone you recently hooked up with has been diagnosed with Chlamydia and Hepatitis B.

Please visit your nearest sexual health clinic or doctor for a STI check-up as soon as possible. Visit [endinghiv.org.au/got-notified](https://endinghiv.org.au/got-notified) for more information. Please do not reply to this message.

Thanks.

**SEND MESSAGE**

# RISK CALCULATOR

Depending on the type of sex you're having, the level of risk of HIV transmission can vary. Use this calculator to find out the risk associated to scenarios based on anal sex and where condoms are not being used.

[Oral sex](#) is considered to be very low risk for HIV, and [condoms](#), when used properly with lube, are a highly effective way to prevent HIV and other STIs.

Remember, what is low risk for HIV is not necessarily low risk for STIs such as [syphilis](#), [chlamydia](#), [gonorrhoea](#) and [LGV](#).


YOU'RE	YOUR HIV STATUS	HIS HIV STATUS	WAYS TO REDUCE RISK	
FUCKING	? - +	? - +	SAME HIV STATUS	UNDETECTABLE
BEING FUCKED			PULLING OUT	- TOP / + BOTTOM
			PREP	

## HIGH RISK


Pulling out is when you pull your cock out of your partner's arse before cumming. Despite what many people think - pulling out is not an effective way of reducing HIV transmission. This is because pre-cum still carries HIV, which can enter your partner's bloodstream through their arse.

In this situation, you could be putting your partner at higher risk of HIV infection. However, there is no risk if you have an [undetectable viral load](#) or if your partner is taking [PrEP](#).


If you think you may have been recently exposed to HIV you should consider getting [PEP](#) to prevent you from being infected with HIV.


 Wappalyzer

CMS


 WordPress 4.8.6

Widget


 Facebook


 Twitter

Analytics


 Google Analytics

Font Script


 Font Awesome


 Google Font API


Web Server


 LiteSpeed

Programming Language


 PHP 5.6.36

 Wappalyzer


 Google Analytics


 TrackJs


Blog

 WordPress 4.8.6


JavaScript Framework

 jQuery 1.12.4


 jQuery Migrate 1.4.1

 PHP 5.6.36

Map

 Google Maps


Tag Manager

 Google Tag Manager

## PRV18 – Zanzu

Review Code	Name	Type of Tool	Access to Tool	Adapt able	Reprod ucible	Data Relevance
PRV18	Zanzu	Website	<a href="https://www.zanzu.de/en/">https://www.zanzu.de/en/</a>	1	2	2

- Website about health, including infections and sexual health
- Dictionary, translations
- Narration feature
- Special features for professionals (in German only)
- Nice UI
- Will need domain experts
- Might not be useful for the JA Objectives



The screenshot shows the Zanzu website interface. At the top, there's a navigation bar with 'Home', 'Infections', and 'HIV and AIDS'. Below this is a search bar and a grid of icons representing different health topics: Body, Family planning and pregnancy, Infections, Sexuality, Relationships and feelings, Rights and law, HIV and AIDS, HIV testing, and HIV treatment. The 'HIV and AIDS' section is highlighted in green. Below the grid, there's a section titled 'HIV test' with text explaining the test and a list of steps. To the right, there's a 'Wappalyzer' banner and a list of technologies used on the site, including CMS (TYPO3, Drupal), JavaScript Framework (jQuery, Modernizr), Analytics (Piwik), and Programming Language (PHP).

## PRV19 – Dr. Gay

Review Code	Name	Type of Tool	Access to Tool	Adapt able	Reprod ucible	Data Relevance
PRV19	Dr. Gay	Website	<a href="https://www.dr.gay.ch/it//">https://www.dr.gay.ch/it//</a>	4	5	4

- Information on how to prevent HIV and STIs, where to get tested, PEP and PrEP targeted to MSM
- Available in French, German and Italian
- Nice UI
- Emergency contacts
- Main feature of the website: "Ask Dr. Gay" : Q&As about MSM sexual health
- Will need people to answer questions, maintain the website etc

**Dr. Gay**
Qui trovi aiuto!

DE | FR

LOG IN

ASK DR. GAY
YOUR HEALTH
GAY LIFE
HIV-POSITIVE
DEAF PEOPLE
EMERGENCY / CONTACTS

Poni la tua domanda qui

YOUR HEALTH
**SAFER SEX**
MAIN INFORMATION ON SAFER SEX

**EMERGENCY PEP**
Useful addresses

**#UNDETECTABLE**
HIV-positive. Not contagious.

**SCREENING CENTERS**
HIV test, emergency, counseling, etc.

**GAY SEX**
The variety of gay sex

**THE LAST QUESTIONS TO DR. GAY**

1. I wanted to ask two questions .. do you risk something if a man practices an anal prostate massage with his fingers in case this is infected a...

**PARTICIPATE**
Dr. Gay survey

Emergency / Contact / Emergency / Contacts

## PEP NOTFALL

Es ist bei jeder Notfall-Stars möglich, eine HIV-Risikoeinschätzung machen zu lassen und gegebenenfalls mit einer PEP zu beginnen.

## AIDS HILFE BERN

Schwarztorstrasse 9 (Eingang Checkpoint Bern, Haus-Nr. 11)  
3007 Bern  
031 390 36 36

Open the web page

HIV / STI-Risikomanagement und Sexualberatung.  
Telefonische Beratung am Mo, Mi-Fr von 9-12 and 14-17 Uhr, Di von 9-12 Uhr.  
Persönliche Beratung nach telefonischer Vereinbarung.

## AIDS-HILFE BEIDER BASEL

Clarastrasse 4  
4058 Basel  
Beratung: 061 685 25 00 / Termin: 061 685 25 07

Open the web page

## FILTER

ALL

ADVICE

HOMOPHOBIA

PEP

PREP

PSYCHOLOGICAL

SUPPORT

STARMAN

TEST

TREATMENT

## REGION

ALL

AARGAU

BASEL

BERN

FRIBORG

GENEVA

JURA

LAMP

MILAN

(ITALY)

NEUCHÂTEL

Qui trovi aiuto!

DE | FR

LOG IN

ASK DR. GAY
YOUR HEALTH
GAY LIFE
HIV-POSITIVE
DEAF PEOPLE
EMERGENCY / CONTACTS

Poni la tua domanda qui

Ask Dr. Gay

## ASK DR. GAY

Ask Dr. Gay

Hai questions about couples, sex, drugs or anything else? Our team of specialists is at your disposal. If you have any questions about PEP emergency treatment, go to a Checkpoint immediately. In fact, it takes up to three days to receive an answer from Dr. Gay.

**LATEST QUESTIONS**

**USEFUL QUESTIONS**

**TOPICS**

HOMOSEXUAL IDENTITY

SAFER SEX

FEELINGS

PHYSICAL WELL-BEING

**MOTS-CLÉS**

Safer Sex /

I wanted to ask two questions .. do you risk something if a man practices an anal prostate massage with his fingers in case this is infected and loses blood from his fingers? I was given a blowjob by an escort with a condom and when I came in the condom there were traces of blood, I think of ... [continues](#)

Safer Sex / / 43

Hi doctor. About 3 weeks ago I had a relationship with trans. Oral I active covered by condom. After that, always in a protected manner he tried for two or three times the prenatation without going back because I felt pain. He eventually masturbated me. Now after three weeks fever has appeared, sore ... [continue](#)

Safer Sex / Schweiz / 25

HPV
Social life
PEP
Blowjob

HIV
Cancer

Detectable viral load

Petting
Genital herpes
Sperm

Penis
Skin problems

IST Test

Hosting Panels

Plesk

Web Server

Apache

Analytics

Google Analytics

Tag Manager

Google Tag Manager

JavaScript Framework


FancyBox 2.1.5

jQuery 2.1.4


## PRV20 – Spolno zdravlje (Sexual health)

Review Code	Name	Type of Tool	Access to Tool	Adapt able	Reprod ucible	Data Relevance
PRV20	Spolno zdravlje (Sexual health)	Website / Mobile Application	http://spolnozdravlje.hr	4	3	4


- Online platform and mobile app on STIs incl HIV and sexual health, with interactive functions. Risk assessment through risk calculators
- Direct contact with expert through mobile app
- Reminder for testing, taking medication, visiting a doctor
- App stuck on "Loading"
- Busy UI




#### Widget

 AddThis


#### Analytics

 Google Analytics

#### JavaScript Framework

 jQuery 1.12.2

#### Font Script

 Google Font API

#### Programming Language

 PHP

## PRV21 – Sve o hepatitisu (All about hepatitis)

Review Code	Name	Type of Tool	Access to Tool	Adapt able	Reprod ucible	Data Relevance
PRV21	Sve o hepatitisu (All about hepatitis))	Website / Mobile Application	<a href="http://spolnozdravlje.hr">http://spolnozdravlje.hr</a>	4	3	4

- Online platform and mobile app on hepatitis, with interactive functions
- Risk calculator - according to key indicators for HBV and HCV
- Health services for HBV/HCV testing, counseling, psychosocial services, community support
- Direct contact with expert through mobile app
- Reminder for testing, taking medication, visiting a doctor
- App stuck on "Loading"
- Busy UI

The image displays two screenshots of the 'sveohepatitisu' platform. The top screenshot shows the website's main interface with a sidebar menu on the left containing links to various topics related to hepatitis. The central part of the website features a large image of a smartphone displaying a liver icon, and a right-hand column titled 'AKTUALNO' (Current) with several news items and articles. The bottom screenshot shows the mobile application's 'CALCULATOR RISK' section, which provides a risk assessment for Hepatitis B and C infection based on user input. The results show a 'Low risk of hepatitis C infection' and a 'There is no risk of Hepatitis B infection'.



[Google Play](#)
[Available on the App Store](#)

TESTIRANJE I SAVJETOVANJE

JETRA I HEPATITIS

VIRUSNI HEPATITISI A-E

HEPATITIS B

HEPATITIS C

ČESTA PITANJA

KALKULATOR RIZIKA

PITAJ STRUČNJAKA

PODSJETNIK

SPOLNOZDRAVLJE

NASLOVNA

UVODNE INFORMACIJE

ZAGREB

CHECK POINT ZAGREB

Ulica kneza Domagoja 10, 10000 Zagreb

Anonimno (pod šifrom), brzo, i pouzdano testiranje uzoraka sline na hepatitis C s rezultatom za 20 min. (nije potrebna uputnica). Centar djeluje u potpunosti u sklopu udruge HUHIV, izvan formalnih zdravstvenih institucija, u potpunosti prijateljski i usmjeren na društvenu zajednicu, uz potporu Grada Zagreba i suradnju s Klinikom za infektivne bolesti Dr. Fran Mihaljević, HCK i HZJZ.

Čekanje rezultata: 20 minuta

Radno vrijeme: ponedjeljak, srijeda i petak 16:00 – 19:30

Kontakt: tel: 0800 448 767; [pitaj@huhiv.hr](mailto:pitaj@huhiv.hr)

Web: <http://huhiv.hr/checkpoint/>

KLINIKA ZA INFektivNE BOLESTI "DR. FRAN MIHALJEVIĆ"

Mirogojska 8, 10000 Zagreb

Anonimno (pod šifrom) i besplatno testiranje (nije potrebna

AKTUALNO

Testiraj se besplatno i anonimno na hepatitis C

Svjetski dan hepatitisa 2017.

Zašto liječiti bolesnika s „blagim“ hepatitisom C

Kronični hepatitis C – Put do izlječenja

Prijenos hepatitisa C

Nacionalna kampanja Svjetskog dana hepatitisa 2017.

Novi podaci o hepatitisu ističu potrebu za hitnim globalnim odgovorom

UČITAJ JOŠ OBAVJESTI

[Google Play](#)
[Available on the App Store](#)

THE QUESTION QUESTIONS

LIFE OF HEPATITIS

VIRUS HEPATITIS AE

HEPATITIS B

HEPATITIS C

TESTING AND ADVENTURE

CALCULATOR RISK

ASK FOR PROFESSORS

REMINDER

SPOLNOZDRAVLJE

HOME

CAN THE NET BE BLOCKED WITH HEPATITIS B OR C HOW DO NOT SIMPLE SIMPTOME?

IF HE HAVE NET HEAVEN HEPATITIS B, CAN YOU GET YOUR OWN?

IF HE IS LESS THAN HEPATITIS C, CAN YOU GET YOUR OWN?

CAN HEPATITIS C BEEN TRANSFERRED BY A SEX?

WHICH GROUPS OF PEOPLE HAVE MORE HAZARDS FROM OTHER?

How Much Does HEPATITIS BIC CAN EXPECT OUT OF HUMAN ORGANIZATION?

Is HEPATITIS B BACKGROUND SAFE?

Could HEPATITIS B OR CREATE A UBODY COMBAR OR OTHER INSECT?

CAN THE PERSON NEVER DELIVER HEPATITIS B OR C?

WHY TO TEST TO HEPATITIS C?

CURRENT

Test free and anonymous on hepatitis C

World Hepatitis Day 2017.

Why treat a patient with "mild" hepatitis C?

Chronic hepatitis C- The way to cure

Hepatitis C transmission

National Hepatitis 2017 campaign.

New hepatitis data points to the need for an urgent global response

LEARN MORE NOTES



## Widget

AddThis

## Analytics

Google Analytics

## JavaScript Framework

jQuery 1.12.2

## Font Script

Google Font API



## Programming Language


*php* PHP

## PRV22 – STD Tx Guide

Review Code	Name	Type of Tool	Access to Tool	Adapt able	Reprod ucible	Data Relevance
PRV22	STD Tx Guide	Mobile Application	<a href="https://play.google.com/store/apps/details?id=gov.cdc.stdtxguide">https://play.google.com/store/apps/details?id=gov.cdc.stdtxguide</a>	5	3	5

- App from the CDC about STD Treatment Guidelines
- For professionals
- Condition Quixk Pick
- Terms and Abbreviations
- Full Guidelines
- How to take a sexual history
- Simple and effective UI
- Will need domain experts
- Might not be useful for the JA pilots





### PRV23 – STD Wizard

Review Code	Name	Type of Tool	Access to Tool	Adapt able	Reprod ucible	Data Relevance
PRV23	STD Wizard	Website	<a href="http://stdwizard.com/#/home">http://stdwizard.com/#/home</a>	3	3	4

- Online STD Risk Calculator
- One question/page → loading time is tiring

## You have completed the STD Wizard

You have reached the recommendation page of the STD risk assessment

This final page shows:

- Recommended screenings, vaccines, and help
- Your response to each question
- Useful links

The recommendations are based on the 2015 Sexually Transmitted Diseases Treatment Guidelines from the CDC

To email these results to yourself, click on the "Email Me" (at the bottom) button and provide us with your email address. Your email will **not** be retained, shared, sold, or rented.

**If you are using a public computer, for privacy, please close the browser window and log out when done.**

## Recommendations

We recommend the following:

### Screenings

HIV  
Hepatitis B  
Syphilis  
Chlamydia  
Gonorrhea

### Vaccines

Hepatitis B  
HPV

**NOTE:** Even though many sexually active people have herpes, testing is rarely recommended.


**NOTE:** CDC recommends that everyone aged 13-64 years be screened for HIV at least once.








**NOTE:** The STD Wizard does not try to diagnose medical conditions. It is recommended to see a healthcare provider for any of the following symptoms that might indicate an STD:

- Anal pain or itching (butthole hurts or itches)
- Itching in your pubic area (privates), more than 2 weeks
- Lice or lice eggs seen in your pubic area (privates)
- Sore or bump on genitals (privates) in past 12 months
- Widespread rash, both sides of the body, past 12 month
- Female with abnormal vaginal discharge (odd smell or color), > 5 days
- Female with bleeding after sex
- Female with daily lower abdominal pain, not during period
- Male with discharge from penis or burning during urination
- Male with severe testicular pain

## Your answers

1. How old are you, in years? : **24-26**
2. What is your race / ethnicity? : **American Indian**
3. Which country or region do you live in? : **Europe**
4. When was the most recent HIV test you had? : **> 1 year**
5. Have you ever been told you have HIV? : **No**
6. Have you been forced to have oral, vaginal or anal sex (against your will)? : **No**
7. Are you male or female? : **Female**
8. Have you ever had sex (vaginal, oral-genital, or anal)? : **Yes**
9. Have you ever had vaginal sex with a male? : **Yes**
10. Have you ever had receptive anal intercourse (someone's penis in your anus)? : **Yes, > 12 months ago**
11. Have you ever had a male's penis in your mouth

 **Wappalyzer**

<b>Analytics</b>	<b>Font Script</b>
 Google Analytics <small>UA</small>	 Google Font API
	 Typekit <small>1.19.2</small>
<b>JavaScript Framework</b>	
 AngularJS <small>1.2.9</small>	<b>CDN</b> 
	 CloudFlare
	<b>Tag Manager</b>
	 Google Tag Manager

## PRV24 – BeYou

Review Code	Name	Type of Tool	Access to Tool	Adapt able	Reprod ucible	Data Relevance
PRV24	BeYou	Mobile Application	<a href="https://www.madtrust.org.uk/project/beyou-chelsea-westminster-hospital-nhs-foundation-trust/">https://www.madtrust.org.uk/project/beyou-chelsea-westminster-hospital-nhs-foundation-trust/</a>	-	-	-


- Links to Google Play/itunes don't work, app is not listed, cannot be found through search

## Testing (TST) Tools


### TST1 – HIV? Swab2know

Review Code	Name	Type of Tool	Access to Tool	Adapt able	Reprod ucible	Data Relevance
TST1	HIV? Swab2know	Website	<a href="https://www.swab2know.eu/">https://www.swab2know.eu/</a>	3	4	3

- Website to order a testing kit (sample:saliva), check the test result and receive counseling
- Need to register
- Available in Belgium, Spain, Portugal, Germany, Denmark, Slovenia and Romania
- Easy UI
- Will need to contact the owners to expand to other countries?




### Analytics

 Google Analytics

### JavaScript Framework

 Modernizr 2.8.3

 jQuery 1.11.2

 Knockout.js 3.3.0

## TST2 – HIV? Swab2know

Review Code	Name	Type of Tool	Access to Tool	Adapt able	Reprod ucible	Data Relevance
TST2	HIVSmart	Mobile Application	<a href="https://www.vii.vhealthcare.com/ch/latest-news/2017/october/hivsmart-app-launched-in-fast-track-cities.aspx">https://www.vii.vhealthcare.com/ch/latest-news/2017/october/hivsmart-app-launched-in-fast-track-cities.aspx</a>	3	4	3

- No links in article, app is not listed, cannot be found through search



### TST3 – HIV/AIDS Self-Test

Review Code	Name	Type of Tool	Access to Tool	Adapt able	Reprod ucible	Data Relevance
TST3	HIV/AIDS Self-Test	Mobile Application	<a href="https://www.amazon.com/Wave-Apps-AIDS-Self-Test/dp/B073F2HC9M/ref=sr_m arpr_4?s=mobil e-apps&amp;ie=UTF8&amp;qid=1516699304&amp;sr=1-4">https://www.amazon.com/Wave-Apps-AIDS-Self-Test/dp/B073F2HC9M/ref=sr_m arpr_4?s=mobil e-apps&amp;ie=UTF8&amp;qid=1516699304&amp;sr=1-4</a>	-	-	-

- No links in article, app is not listed, cannot be found through search
- From Amazon Description:  
HIV/AIDS Self Test is the Latest HIV clinical guide/info/guidelines/dictionary/faqs/guidance app for 2017 and 2018 on how to have a Home HIV Self Testing by use of HIV self test kits. HIV self test app for 2017 is an important quiz tester explained dictionary & guard quotes for any one who wishes to contact the HIV/aids test at home. Any HIV-positive result or HIV-negative result must be in guidance of a health worker and explained in accordance with national testing algorithms.(HIV Test Status) HIV testing app dictionary & guard quotes enables you to test for HIV Status in mobile privately. This Aids tester info 2017/2018 is a collection of self finger prick test guide and HIV/AIDS faqs (HIV frequently asked questions) to assist you in home HIV status test.

### TST4 – European Test Finder

Review Code	Name	Type of Tool	Access to Tool	Adapt able	Reprod ucible	Data Relevance
TST4	European Test Finder	Website	<a href="http://www.aidsmap.com/european-test-finder">http://www.aidsmap.com/european-test-finder</a>	2	4	3

- Test Finder for HIV/HepC/STIs
- List or map view
- Can add new testing services <http://www.aidsmap.com/european-test-finder/Add-your-own-testing-centre/page/3011065/>
- Results display timeout error (Resource not maintained?)

## Resources

### European Test Finder

Find out where you can have a test for HIV, hepatitis or other sexually transmitted infections across Europe

Use our *European test finder* to find a testing centre convenient to you.

First select your country using the drop down menu. Then either select a state or town from the second drop down menu or enter your location.

English ▾

Please select your country  

▾

and select a town / state  

▾

or specify your location (town or postcode) if not on the list above


**Type of test**  
☐ HIV  
☐ Hepatitis C  
☐ STI (including hepatitis B)


**Display results**  
☒ As a list  
☐ On a map



If you would like to add details of your testing services, please tell us about your service.





**Wappalyzer**


 Twitter

 IIS 50% sure


**Analytics**

 Google Analytics


**JavaScript Framework**

 jQuery 1.7.2


**Web Framework**

 jQuery 1.7.2

**Operating System**

 Windows Server 50% sure

**Map**

 Google Maps

### TST5 – HelpAids

Review Code	Name	Type of Tool	Access to Tool	Adapt able	Reprod ucible	Data Relevance
TST5	HelpAids	Mobile Application	https://play.google.com/store/apps/details?id=it.helphaids	-	-	-

- Links to Google Play don't work, app is not listed, cannot be found through search

## TST6 – GetTested

Review Code	Name	Type of Tool	Access to Tool	Adapt able	Reprod ucible	Data Relevance
TST6	Get Tested	Website	<a href="https://gettested.cdc.gov/">https://gettested.cdc.gov/</a>	1	5	0

### Test Finder from the CDC

The screenshot displays the CDC GetTested website interface. At the top, the CDC logo and "Centers for Disease Control and Prevention" are visible. The main heading is "GetTested National HIV, STD, and Hepatitis Testing". Below this, there's a search bar with the placeholder "Enter ZIP Code or City, State" and a "Search" button. A secondary section asks "Not Sure What Test You Need?" with a "What is your gender?" dropdown menu (options: Male, Female, Transgender) and a "Next" button. The search results section shows "Showing 35 Testing Location(s) near 55133 within 10 miles". It lists two locations: "Saint Paul Ramsey County Public Health Clinic 555 Sexual Health Services" and "West Side Community Health Services West Side Health Center La Clinica". A map on the right shows the location of these clinics in Saint Paul, MN. The bottom of the page features a "Wappalyzer" banner.

#### CMS

Drupal

#### Analytics

Google Analytics UA

SiteCatalyst

#### JavaScript Framework

jQuery 1.4.4

#### Programming Language

PHP

#### Map

Google Maps

## TST7 – HepScreen

Review Code	Name	Type of Tool	Access to Tool	Adapt able	Reprod ucible	Data Relevance
TST7	HepScreen	Website	<a href="http://hepscreen.eu/what-can-we-do-about-it/pre-test-information/multi-language-builder/">http://hepscreen.eu/what-can-we-do-about-it/pre-test-information/multi-language-builder/</a>	0	4	2

- Tool to create multi-lingual leaflets available in 42 languages, to enable European health professionals to provide written info to migrants offered testing. Appropriate and translated written information given to people offered viral hepatitis screening
- Can be reproduced to fit the JA objectives



HEPscreen > What can we do about it? > Pre-test information > Multi-lingual leaflets made easy

### Multi-lingual leaflets made easy

Appropriate and translated written information given to people offered viral hepatitis screening can improve knowledge and awareness, prepare people for their test results and reduce feelings of stigma, fear and shame.

To enable health professionals across Europe to provide this in a written format to people offered testing, HEPscreen has developed a tool to create multi-lingual leaflets. The culturally appropriate and simple to use tool allows health professionals to create multi-lingual leaflets in 42 languages.

If you prefer a larger font, for best results please select a single language version.

[You can download a sample leaflet here.](#)

Language 1

English

Language 2

-

Organisation

Name


Choose logo

Service details

Header

Description

Download your personalised leaflet




Wappalyzer

- WordPress 4.7.10
- Font Awesome
- Google Font API
- Blog
- WordPress 4.7.10
- Web Server
- Apache 2.4.18
- JavaScript Framework
- jQuery 1.12.4
- jQuery Migrate 1.4.1
- prettyPhoto
- Programming Language
- PHP
- Operating System

## TST8 – What's your number

Review Code	Name	Type of Tool	Access to Tool	Adapt able	Reprod ucible	Data Relevance
TST8	What's your number	Website	<a href="http://checkhimout.ca/testing/">http://checkhimout.ca/testing/</a>	4	5	2

- User answers questions and finds out how often she should be tested for HIV&STIs and can then set up a reminder



**WHAT'S YOUR NUMBER?**

HiM HEALTH INITIATIVE FOR MEN

WHAT'S YOUR # KNOW YOUR RISK WHERE TO GET TESTED TELL YOUR PARTNERS ABOUT HIV & STI'S

**HEY PAUL, WHAT'S YOUR NUMBER?**

Each guy has a number that works for him. Take the quiz to find your number.

**Find your Number**

How often should you test for HIV? Take the quiz.

1. Are you a guy who has sex with guys?

YES NO

**Remind me to get tested**

You're busy. We can help. Remind me to get tested every:

3 Months (More at risk) Enter e-mail or cellphone number GO

Knowing your HIV status is an important part of a healthy sex life. Testing is the only way to know your status for sure. Some guys should test for HIV more often, depending on the type of sex they're having. Guys who are more at risk should test every 3 months. Guys who are less at risk should test every 12 months. When it comes to HIV testing, everyone's got a number. HiM now offers free email and text messaging reminders.

- Can schedule reminders via email or SMS (Canada)

# Remind me to get tested

You're busy. We can help.

Remind me to get tested every:

- Information on Risk Spectrum for HIV
- Easy-to-use Risk Calculator

WHAT'S YOUR #
KNOW YOUR RISK
WHERE TO GET TESTED
TELL YOUR PARTNERS
ABOUT HIV & STI'S

### Know Your Risk

- I'm a Top
- I'm a Bottom
- I'm Versatile
- I'm in a Monogamous Relationship
- I'm in an Open Relationship
- I've Recently Become HIV positive
- I Like Variety, Lots of It
- I Pick Up Online a Lot
- I Use Drugs while Having Sex (PnP)
- I Have Sex without Condoms

### Reduce Your Risk

- Use Condoms
- PrEP
- Get Tested
- Counselling
- Learn about PEP
- Sero-sorting: Poz or Neg?
- Strategic Positioning: Top or Bottom?
- TaSP/ U=U
- Learn about Viral Loads

## Know Your Risk

Not all sex has the same risk. Your risk of picking up or passing on HIV depends on the kind of sex you have, your HIV status, your partner's HIV status and condom use. The guys at HIM believe you can have great sex and still reduce your risk by making smart, informed decisions. We're not going to tell you how to have sex, but we will offer some techniques for reducing the risk associated with the kind of sex you want to have.

### HIV SPECTRUM OF RISK

#### No Risk or Very Low Risk

Kissing/ spit swapping, hand Job/mutual masturbation, receiving or giving oral sex with a condom, rimming with a dental dam. All sex while on PrEP, if used according to BC Centre for Excellence in HIV/AIDS guidelines. All sex with a partner who is undetectable and treatment adherent.

#### Low Risk

Receiving oral sex with no condom and no ejaculation in mouth, giving oral sex with no condom and no ejaculation in mouth, rimming with no dental dam, anal sex where using a condom is your primary prevention method.

#### Moderate Risk

Giving oral sex with ejaculation to a guy whose status is unknown or one partner is poz and has a detectable viral load. Condomless anal sex between two guys with detectable viral loads run the risk of them acquiring a different strain of HIV.

#### High Risk

Anal sex (topping) without condoms or PrEP with a guy whose status is unknown or has a detectable viral load.

#### Very High Risk

### HIV Risk Calculator

- What kind of sex are you having?

Getting Sucked

Sucking

Rimming

Topping

Bottoming
- Are you?

HIV Negative

HIV Positive

I'm not sure
- Your partner is?

HIV Negative

HIV Positive-undetectable viral load

HIV Positive-detectable or unknown viral load

I'm not sure
- What HIV Prevention tools are you using?

Condoms

PrEP

Treatment as Prevention (TaSP)/ U=U

None of the above

CALCULATE HIV RISK

- Testing Sites Locator (for Canada)



## When it comes to testing, you have choices.

Whether you're getting tested every 3 months, every 12 months, after a risk event, or at the start of a new relationship, you can find a sexual health clinic to meet your needs.

### STI Clinics and HIM Health Centres

In British Columbia, STI clinics and HIM's Health Centres are well-equipped to meet gay men's testing needs. They have access to the latest HIV & STI testing technologies, and generally have experience with gay men's sexual health issues.

The HIM Health Centres in Vancouver (on [Davie Street](#) and [Commercial Drive](#)) offer dedicated testing and counselling services that are tailored for gay men and other men who have sex with men. The new HIM Health Centres in New Westminster, Surrey and Abbotsford also offer tailored testing services for gay men and other men who have sex with men, but currently do not offer counselling services.

### Testing with your doctor

You may also opt to test at your family doctor's office. You should know that not all HIV tests are available through your family doctor, and not all doctors are familiar with the new testing guidelines. If you're going to test with your family doctor, be sure that you know your number (3 or 12), and be prepared to ask specifically for an Early test (sometimes called a NAAT or RNA test) if you've had a risk event recently.

### Types of tests

There are currently three types of HIV tests available in British Columbia. For more information on the types of tests offered, [click here](#). Not all clinics or doctor's offices offer the same tests.

### Risky sex?

If you have a high-risk event (broken condom, condomless anal sex with a partner whose HIV status you aren't sure of), get tested right away. Find a clinic by using this page, or get in touch with your family doctor. Don't delay.



### Find a location

filter by type or test

HIV

search by clinic name, postal code, city name or street address

Find a location

GO

### Where to get tested

Visit any of our HIM Health Centres: [HIM's Davie Health Centre](#), [HIM on the Drive](#), [HIM in New West](#) and [HIM in Surrey](#) or [HIM in Abbotsford](#).

Additional locations in your area can be found through [BCCDC's Smart Sex Resource](#).

- Partner Notification (can notify multiple partners in one go – multiple recipients fields) via email/SMS. Can choose one of 3 available e-card templates

### Tell Your Partners

#### Step 1: Select the appropriate STI(s) you wish to inform your partners about

- ☐ HIV ☐ Chlamydia ☐ Herpes ☐ Gonorrhea  
☐ Hepatitis A ☐ Hepatitis B ☐ Hepatitis C ☐ Syphilis  
☒ Human Papilloma Virus (HPV or Genital Warts)

#### Step 2: Enter the name(s) of those you wish to inform and either their email address or phone number

You can enter e-mail addresses or SMS numbers. SMS recipients will receive a text-based version of your card.

Name	E-mail Address or Phone Number (required)
Name	E-mail Address or Phone Number
Name	E-mail Address or Phone Number
Name	E-mail Address or Phone Number
Name	E-mail Address or Phone Number

+ Add More

#### Step 3: If you are sending via email – chose the eCard template for your message

## Don't panic.

Hi [NAME],

**It's time to get tested.**  
[YOURNAME] wants you to know that they recently picked up Human Papilloma Virus (HPV or Genital Warts) and you may have been exposed.

Don't panic. You have options.  
Please [click here](#) to find a testing location near you.

**HIM** Healthcare Information Management  
www.checkimout.ca

Choose Card Type

### How-to/Guidelines

This website features a number of tools for gay men and other men who have sex with men to equip themselves with accurate information about their sexual health.

### About the E-Cards

#### Sending

HIM offers free e-mail and SMS-based partner notification e-cards as a service to gay men and other men who have sex with men. If you choose to send a postcard or SMS, please be respectful: notifications should only be sent to those you've had sex with, and are at the risk of picking up or passing on an STI or HIV. You are responsible for the content of these e-cards or SMS messages. We take the partner notification system very seriously, and will take action against anyone found to be abusing it.

#### Receiving

If you receive an e-card or SMS message, don't panic. You don't necessarily have an STI, but you should go to your local sexual health clinic or family doctor as soon as possible to get checked out. Many STI's are curable, and all STI's are treatable. If you do happen to test positive for an STI, we invite you to use this service to let your partners know.

#### Privacy & Legal

Please act responsibly when sending partner notification SMS messages or e-cards. While HIM encourages each person who receives an SMS message or e-card to get tested as soon as possible, HIM cannot be held responsible for any action taken as a result of sending or receiving an SMS message or e-card from this website. We do not collect e-mail addresses. We cannot share, forward or sell your information. There is no backend database on our service.

#### Community Guidelines

Any expressions of hatred, homophobia, transphobia, bigotry, abuse or harassment will not be tolerated. Profanity or defamation will not be tolerated. If you have an unwanted experience with an SMS message or e-card, please contact us at [feedback@checkimout.ca](mailto:feedback@checkimout.ca). We will do our best to resolve your issue.

- Chart on sexual activities that put user at risk per STD



## ABOUT HIV &amp; STI'S

- HIV
  - Acute HIV
  - Sero-conversion illness
  - Viral Load
  - Resources for poz guys
  - Types of HIV Tests
- Chlamydia
- Genital Herpes
- Gonorrhea
- Hepatitis A
- Hepatitis B
- Hepatitis C
- Human Papilloma Virus (HPV or Genital Warts)
- Syphilis

## About HIV &amp; STI's

Not all sex has the same risk. Depending of the kind of sex you're having, you could be more or less at risk for a number of STI's, including HIV. The chart below can help you determine which sexual activities put you at risk.

SEXUAL ACTIVITIES	HIV	Chlamydia	Herpes	Gonorrhea	Hepatitis A	Hepatitis B	Hepatitis C	HPV / Genital Warts	Syphilis
Kissing / Spit Swapping									
Hand Job / Mutual Masturbation									
Body Contact / Naked Grinding									
Blow Job / Oral Sex									
Rimming									
Anal Sex without a Condom									
Anal Sex with a Condom									
Anal Sex with PrEP or TaSP/ U=U									

*This chart attempts to simplify HIV and STI transmission, but is by no means exhaustive. For more detailed information on HIV and STIs, including how to reduce your risk, please explore the sections on the left-hand side of this page.*



Wappalyzer

## CMS

WordPress 4.7.4

## Analytics

Google Analytics

## Blog

WordPress 4.7.4

## JavaScript Framework

jQuery 1.6.2

jQuery Migrate 1.4.1

## Font Script

Cufon

## Programming Language

PHP

## TST9 – Testing reminders - smart sex resources

Review Code	Name	Type of Tool	Access to Tool	Adapt able	Reprod ucible	Data Relevance
TST9	Testing reminders - smart sex resources	Website	<a href="https://smartsexresource.com/get-tested/testing-reminders">https://smartsexresource.com/get-tested/testing-reminders</a>	4	5	5

- Website resource to setup reminders about testing via email or SMS



[A-Z topics](#) [About](#) [Contact](#) [Log in](#)

[ABOUT STIs](#) [GET TESTED](#) [SEX TALK](#) [ASK US](#) [FOR HEALTH PROVIDERS](#)

Enter search text

## GET TESTED

Home > Get Tested > Testing Reminders

### Setting Up Testing Reminders

If you are having sex, it's a good idea to get regular STI testing, even if you do not have symptoms. SmartSexResource testing reminders make it easy to know when you should get tested again. You can also be reminded when your next hepatitis A, hepatitis B or HPV vaccine is due. Sign up below to get testing or vaccination reminders sent to you by email or text.

Which of these best describes you:

- [I want to be reminded to get regular STI testing.](#)
- [I had an STI and want to be reminded to retest.](#)
- [I want to be reminded about a hepatitis vaccination.](#)
- [I want to be reminded about an HPV vaccination.](#)


#### Your Privacy

To use this service, you will need to provide the following personal information: phone number or email address, and testing reminders for your sexual history, details and preferred dates. All personal


### What to do if ...

The condom broke.  
We didn't use protection.  
I'm worried I have something.  
I might be pregnant.  
Someone I slept with is positive.  
I blacked out last night.  
I was forced to have sex.

### Find a clinic



### Want a Reminder?



## Setting Up Testing Reminders

If you are having sex, it's a good idea to get regular STI testing, even if you do not have symptoms. SmartSexResource testing reminders make it easy to know when you should get tested again. You can also be reminded when your next hepatitis A, hepatitis B or HPV vaccine is due. Sign up below to get testing or vaccination reminders sent to you by email or text.

Which of these best describes you:

I want to be reminded to get regular STI testing.

How often would you like to receive testing reminders? \*

every 6 months ▼

How would you like to receive your reminder? \*

☒ Email ☐ Text message

Email Address


☒ I acknowledge and agree to the terms described under "Your Privacy" below. \*

Create Testing Reminder

How often should I get tested?

If you are having sex, it's a good idea to get tested at least once a year.

If you are having sex, and you or your partners have more than one partner, it's a good idea to get tested every 3 to 6 months.



TST10 – Smartphone dongles performed a point-of-care HIV and syphilis test


Review Code	Name	Type of Tool	Access to Tool	Adapt able	Reprod ucible	Data Relevance
TST10	Smartphone dongles performed a point-of-care HIV and syphilis test	Prototype	<a href="http://engineering.columbia.edu/smartphone-finger-prick-15-minutes-diagnosis—done-0?utm_content=buffer2cf71&amp;utm_medium=social&amp;utm_source=twitter.com&amp;utm_campaign=buffer">http://engineering.columbia.edu/smartphone-finger-prick-15-minutes-diagnosis—done-0?utm_content=buffer2cf71&amp;utm_medium=social&amp;utm_source=twitter.com&amp;utm_campaign=buffer</a>	-	-	-

- Impressive innovative idea
- Not available yet

## TST11 – Locate HIV testing

Review Code	Name	Type of Tool	Access to Tool	Adapt able	Reprod ucible	Data Relevance
TST11	Locate HIV testing	Website	<a href="https://locator.hiv.gov">https://locator.hiv.gov</a>	1	5	0


- Already mentioned in LtC2 tool
- The HIV/AIDS Prevention & Service Provider Locator is a location-based search tool for testing services, housing providers, health centers and other service providers. It also provides names and telephone numbers.
- Data available for the USA – **cannot use the API in the scope of INTEGRATE** -




## TST12 – 1069 Test Finder

Review Code	Name	Type of Tool	Access to Tool	Adapt able	Reprod ucible	Data Relevance
TST12	1069 Test Finder	Mobile Application	<a href="https://itunes.apple.com/it/app/1069-test-finder/id516919997?l=en&amp;mt=8">https://itunes.apple.com/it/app/1069-test-finder/id516919997?l=en&amp;mt=8</a>	3	5	0


- Available for iOS and Android
- Languages: Chinese and English
- Colourful/Youthful design
- Has a “What’s up” feature with latest news




- Quiz to access risk, Testing Site Finder, Test Reminder and Booking for test








- Partner notification via email/SMS (redirected to external site)




- Share personal story with the community





- HIV information and related videos



### TST13 – #Smartsex

Review Code	Name	Type of Tool	Access to Tool	Adapt able	Reprod ucible	Data Relevance
TST13	Smartsex	Website / Mobile App	<a href="http://www.smartsex.eu/en/">http://www.smartsex.eu/en/</a>	2	5	3

- Website provides information on HIV and STIs
- List of testing sites provided (Italy)
- Survey link doesn't work
- **Link to download app doesn't work, could not find via Google play search**
- Simple and effective UI, bold colours

### TST14 – NACO AIDS App

Review Code	Name	Type of Tool	Access to Tool	Adapt able	Reprod ucible	Data Relevance
TST14	NACO AIDS App	Mobile Application	<a href="https://play.google.com/store/apps/details?id=com.naco.nhp&amp;hl=it">https://play.google.com/store/apps/details?id=com.naco.nhp&amp;hl=it</a>	2	4	0

- Mobile app for India
- App is quite slow to respond
- Very intense colours and large fonts, a bit threatening when evaluating risk, for example
- Provides information about HIV, Myths and Facts
- Access to a tool free Helpline
- HIV facilities locator
- HIV Risk Evaluator
- Promotional videos for HIV awareness
- App crashes a lot
- "Social Protection" link doesn't work

